



Pharmacy Information System (PhIS) and Clinic Pharmacy System (CPS)

Klinik Kesihatan Jeram

**JKN SELANGOR
(ZONE 9)**

1ST Preventive Maintenance Report

P.M. Date	2 MAY 2018
Report ID	PM/REPORT/Z9/KKJERAM
Report Version	V1.0



PhIS & CPS PROJECT



© 2011 – 2018 Pharmaniaga Logistics Sdn Bhd (PLSB)


CONFIDENTIAL COPYRIGHTED MATERIAL – *The information includes all concepts, comments, recommendations, and material, contained herein shall remain the property of Pharmaniaga Logistics Sdn Bhd (PLSB). No portion of this document shall be disclosed, duplicated or used in whole or in part of any purpose other than the purpose of the Pharmacy Information System & Clinic Pharmacy System (PhIS & CPS) Project execution only.*



PHIS & CPS PROJECT



Revision History:

Ver. No	Date of Release	Consolidated by	List of Changes from Previous Version	Signature & Date
1.0	2.5.18	Ahmad Heiqal Bin Noor Zaman	Initial document	 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.

Verified and Acknowledged by facility:

Received / Acknowledged by facility	
Name	
Signature / Company Stamp	NG SIEW FEN Pegawai Farmasi UF41 Klinik Kesihatan Jeram Reg No. 013724 
Designation / Department	
Date	2/5/18



Appendix A

Certificate of Acceptance

**EXECUTION OF PREVENTIVE MAINTENANCE**

Project: PhIS & CPS

1ST Preventive Maintenance (2018)

For

Klinik Kesihatan Jeram

Summary findings for Preventive Maintenance conducted on : 2.5.18

No	Item	Allocated Quantity	Serviced Quantity	Remarks
1	Desktop	2	2	
2	Laserjet Printer	1	1	
3	Server	1	1	
4	Ups	1	1	
5	Switch	1	1	
6	Thermal Printer	1	1	

Signature & Stamp:

<u>For PLSB</u>	<u>For Facility</u>
 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.	 NG SIEW FEN Pegawai Farmasi UF41 Klinik Kesihatan Jeram Reg No. 013724
Name:	Name:
Designation:	Designation:
Date:	Date: 2/5/18



Appendix B

Preventive Maintenance Checklist

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

(FORM 2)

FACILITY : **KK JERAM** IT LOCATION : **Procurement, Receiving, Distribution**

STATE : **SELANGOR** ZONE : **9**

SERVER 1	SERVER 2	UPS
PAT ID : CPS/SEL-05/KKS-03/SVR-001	PAT ID : CPS/SEL-05/KKS-03/UPS-001	
SERIAL NO : 067ZMLK	SERIAL NO : 1523503456AF413	
MODEL : LENOVO X3650 M5	MODEL : LIBERT 3KVA	

If Alert is tick (X), fill in & elaborate details in FINDINGS / COMMENTS / DETECTION session.

PART I - HARDWARE, CABLING & CONNECTIVITY (INSPECTION & PHYSICAL CHECK)

Standard Task:	SERVER 1		SERVER 2		UPS	
	Function	Not Function & Resolved	Function	Not Function & Unresolved	Function	Not Function & Unresolved
Cleaning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Verify Condition :						
Connection via LAN / USB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fan/ Power Supply	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Light Path Diagnosis panel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
UTP Cable connect to switch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HA Gateway to Core Switch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

By pass Test	SERVER 1		SERVER 2		UPS	
	Alert	Ticket No	Alert	Ticket No	Alert	Ticket No
Webcard	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
Multilink	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	

Available	Faculty	Type	Qty

PART II - SETUP & HEALTH CHECK

Function	SERVER 1		SERVER 2	
	Not Function & Resolved	Alert	Not Function & Unresolved	Ticket No
Run DSA & collect DSA Log	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Software/Firmware Version :	SERVER 1		SERVER 2	
	Current	Updated	Current	Updated
ClamAV	0.99.1		0.99.1	
Zabbix	2.2.6		2.2.6	
Bacula	5.2.12		5.2.12	
Glassfish	3.1.2.2		3.1.2.2	
UEFI	1.2		1.2	
IMM2	1.92		1.92	

SERVER 1		SERVER 2	
Current	Updated	Current	Updated
X86_64		X86_64	
3.0.75		3.0.75	
4.3.4		4.3.4	

SERVER 1		SERVER 2	
Current	Updated	Current	Updated
X86_64		X86_64	
3.0.75		3.0.75	
4.3.4		4.3.4	

System Software
SUSE LINUX (OS)

Kernel

GCC

Housekeeping:

Clear /tmp folder > 2 weeks

Archive Log Files

Screenshot / attachment

Screenshot / attachment

N/A

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

(FORM 2)

PAT ID : _____
 SERIAL NO : _____
 TYPE : STORAGE

PART III - STORAGE N/A

Function	Net Function & Resolved		Net Function & Unresolved	
	<input type="checkbox"/>	Alert <input type="checkbox"/>	<input type="checkbox"/>	Ticket No
Perform Health Check:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Storage Manager Error Alerts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Storage events logs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD indicator lights	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Enable read/write cache	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Enable Media Scan both at controller level and LUN level	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Software/Firmware Version :

Controller	Current	Updated
ESM		
Driver		


PART IV - FINDINGS / ALERTS / DETECTION

PART V - ACKNOWLEDGEMENT

CUSTOMER

PHARMANIAGA LOGISTICS SDN BHD (PLSB)

Signature & Stamp
 Engineer Name
 Date


Ahmad Heiqal Noor Zaman
 Field Technical Engineer
 Pharamaniaga Logistics Sdn. Bhd.

NG SIEW FEN
 Pegawai Farmasi UPA
 Klinik Kesihatan Jeram
 Reg No. 013724

20/5/18

**PREVENTIVE MAINTENANCE CHECKLIST
(CORE SWITCH / DISTRIBUTION SWITCH)**

(FORM 3)

FACILITY : KK JERAM DEPT : IT STATE : SELANGOR ZONE : 9

PAT ID :	CPS/SEL-05/KKS-03/DSW-001	Location :	Procurement, Receiving, Distribution
SERIAL NO.:	DN1192609H	Loaned <input type="checkbox"/>	Unlocated <input type="checkbox"/>
		Relocated <input type="checkbox"/>	
CORE SWITCH / DISTRIBUTION SWITCH			
PART I - STANDARD TASK		PART III - STANDARD SETUP	
<input checked="" type="checkbox"/> Cleaning	Verify Condition : Cable & Connection Power Supply Check LED Status System LED Master LED STACK ID	Function Not Function & Resolved Not Function & Unresolved <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Alert Ticket No <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
PAT ID : _____ Location : _____ SERIAL NO.: _____ Loaned <input type="checkbox"/> Unlocated <input type="checkbox"/> Relocated <input type="checkbox"/>			
CORE SWITCH / DISTRIBUTION SWITCH			
PART I - STANDARD TASK		PART III - STANDARD SETUP	
<input type="checkbox"/> Cleaning	Verify Condition : Cable & Connection Power Supply Check LED Status System LED Master LED STACK ID	Function Not Function & Resolved Not Function & Unresolved <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Alert Ticket No <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
PAT ID : _____ Location : _____ SERIAL NO.: _____ Loaned <input type="checkbox"/> Unlocated <input type="checkbox"/> Relocated <input type="checkbox"/>			
PART IV - FINDINGS / COMMENTS / DETECTION			
PART V - ACKNOWLEDGEMENT			
CUSTOMER		PHARMANIAGA LOGISTICS SDN BHD (PLSB)	
Signature & Stamp	NG SIEW  Pegawai Farmasi U41 Klinik Kesihatan Joham Reg No. 013724	Signature & Stamp	 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.
Customer Name		Engineer Name	
Date		Date	

**PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)**

FACILITY : **KK JERAM**

DEPT : **OUTPATIENT PHARMACY**

STATE : **SELANGOR**

ZONE : **9**

PAT ID : **CPS/SEL-05/KKS-03/PCD-001**

DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM / MYKAD / TAB

Location : Unlocated Relocated Procurement, Receiving, Distribution

MONITOR : **V901W6SB**

MOUSE : **5G34SE3244B**

Location : Unlocated Relocated Procurement, Receiving, Distribution

Keyboard : **0003109**

PART I - STANDARD TASK

MONITOR : **N/A**

Verify Condition :

Connection via LAN / USB

Fan/ Power Supply/ Charger

Hard Disk Utilization (GB) :

1st Partition

2nd Partition

Storage (TAB only)

Verify Condition :

Connection via LAN / USB

Fan/ Power Supply/ Charger

Hard Disk Utilization (GB) :

1st Partition

2nd Partition

Storage (TAB only)

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

136

773

103

135

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

PART II - STANDARD HEALTH CHECK

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

136

773

103

135

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

PART III - STANDARD SETUP

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

136

773

103

135

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

PART II - STANDARD HEALTH CHECK

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

136

773

103

135

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

PART III - STANDARD SETUP

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

136

773

103

135

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

PART I - STANDARD TASK

MONITOR : **N/A**

Verify Condition :

Connection via LAN / USB

Fan/ Power Supply/ Charger

Hard Disk Utilization (GB) :

1st Partition

2nd Partition

Storage (TAB only)

Verify Condition :

Connection via LAN / USB

Fan/ Power Supply/ Charger

Hard Disk Utilization (GB) :

1st Partition

2nd Partition

Storage (TAB only)

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

134

778

105

134

Free

Alert

Ticket No

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

PART II - STANDARD HEALTH CHECK

Function

Not Function & Unresolved

Alert

Ticket No

Free

Alert

Ticket No

136

773

103

135

Free

Alert

Ticket No

Function

PREVENTIVE MAINTENANCE CHECKLIST (DEVICE)

(FORM 1)

FACILITY : PAT ID : CPS/SEL-05/KKS-03/THP-001 S/N CPU : 2305P000386	DEPT : LOCATION : STATE : ZONE :	MONITOR : N/A KEYBOARD : MOUSE :	Location : Relocated <input type="checkbox"/> Unlocated <input type="checkbox"/>	Screening, Verification, Labelling & Dispensing
DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM / MYKAD / TAB				
PART II - STANDARD HEALTH CHECK				
PART I - STANDARD TASK All Device: Cleaning <input checked="" type="checkbox"/> Desktop/Notebook/TAB: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> * Device is harden <input type="checkbox"/> MEMORY : 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/>	Verify Condition : Connection via LAN / USB Fan/ Power Supply/ Charger Hard Disk Utilization (GB) : 1st Partition 2nd Partition Storage (TAB only)	Function <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Not Function & Resolved Alert <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Ticket No	Verification: IWP KYM PHIS Portal	Function <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Not Function & Resolved Auto update disabled: (a) Java (JDK 6 update 30) (b) Internet Explorer 9 (64bits) ClamAV - Ver 0.99.1 Microsoft Office BCP (BCP PC only) Backup PC (Bacula Web) IOS Version - TAB only
DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM / MYKAD / TAB				
PART III - STANDARD SETUP				
PART II - STANDARD HEALTH CHECK				
PART I - STANDARD TASK All Device: Cleaning <input type="checkbox"/> Desktop/Notebook/TAB: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> * Device is harden <input type="checkbox"/> MEMORY : 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/>	Verify Condition : Connection via LAN / USB Fan/ Power Supply/ Charger Hard Disk Utilization (GB) : 1st Partition 2nd Partition Storage (TAB only)	Function <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Not Function & Resolved Alert <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Ticket No	Verification: IWP KYM PHIS Portal	Function <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Not Function & Resolved Auto update disabled: (a) Java (JDK 6 update 30) (b) Internet Explorer 9 (64bits) ClamAV - Ver 0.99.1 Microsoft Office BCP (BCP PC only) Backup PC (Bacula Web) IOS Version - TAB only
PART IV - FINDINGS / ALERTS / DETECTION				
PART V - ACKNOWLEDGEMENT				
Signature & Stamp Customer Name Date		Signature & Stamp Engineer Name Date		
NG SIEW EEN Pegawai Farmas (UP41) Klinik Kesihatan Serem Reg No. 013724 2018		PHARMANIAGA LOGISTICS SDN BHD (PLSB) Ahmad Heiqal Noor Zaman Field Technical Engineer Pharamniaga Logistics Sdn. Bhd.		



PHIS & CPS PROJECT



Appendix C

Hardware Inventory List



PHIS & CPS PROJECT



Hardware Inventory List

List of equipment available in the facility as per below table:
1.PCD

No	CPU	MONITOR	KEYBOARD	MOUSE	ASSET TAGGING	DEPARTMENT	LOCATION
1	PC071D83	V901W6RB	0003109	5G345E3244B	CPS/SEL-05/KKS-03/PCD-001	Outpatient Pharmacy	Procurement, Receiving, Distribution
2	PC071D82	V901W6PP	0003112	5G345E3263B	CPS/SEL-05/KKS-03/PCD-002	Outpatient Pharmacy	Screening, Verification, Labelling & Dispensing

2.LASERJET PRINTER

No.	LIP	ASSET TAGGING	DEPARTMENT	LOCATION
1	451457LM2GLZH	CPS/SEL-05/KKS-03/LJP-001	Outpatient Pharmacy	Procurement, Receiving, Distribution

3.NETWORK SWITCH

No.	SW S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	DN119260B0H	CPS/SEL-05/KKS-03/DSW-001	IT	Procurement, Receiving, Distribution

4.SERVER

No.	SERVER S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	06FZMLK	CPS/SEL-05/KKS-03/SVR-001	IT	Procurement, Receiving, Distribution

5.UPS

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	1523503456AF413	CPS/SEL-05/KKS-03/UPS-001	IT	Procurement, Receiving, Distribution

6.THERMAL PRINTER

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	2305P000386	CPS/SEL-05/KKS-03/THP-001	Outpatient Pharmacy	Screening, Verification, Labelling & Dispensing