Pharmacy Information System (PhIS) and Clinic Pharmacy System (CPS)

Klinik Kesihatan Sekinchan

JKN SELANGOR (ZONE 9)

1ST Preventive Maintenance Report

P.M. Date	24 APRIL 2018
Report ID	PM/REPORT/Z9/KKSEKINCHAN
Report Version	V1.0

© 2011 – 2018 Pharmaniaga Logistics Sdn Bhd (PLSB)

CONFIDENTIAL COPYRIGHTED MATERIAL *– The information includes all concepts, comments, recommendations, and material, contained herein shall remain the property of Pharmaniaga Logistics Sdn Bhd (PLSB). No portion of this document shall be disclosed, duplicated or used in whole or in part of any purpose other than the purpose of the Pharmacy Information System & Clinic Pharmacy System (PhIS & CPS) Project execution only.*

Revision History:

Ver. No	Date of Release	Consolidated by	List of Changes from Previous Version	Signature & Date
1.0	24.4.18	Ahmad Heiqal Bin Noor Zaman	Initial document	Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.

Verified and Acknowledged by facility:

Received / Acknowledged by facility	
Name	
Signature / Company Stamp	KHAIRUL ASYMAWI B ISHAK R.Ph B Pharm (Hons) UiTM Pegawai Farmasi U41 (No. 8587) Klinik Kesihatan Sekinchan
Designation / Department	
Date	

Appendix A

Certificate of Acceptance

PhIS

pharmaniaga

EXECUTION OF PREVENTIVE MAINTENANCE

Project: PhIS & CPS

1ST Preventive Maintenance (2018)
For
Klinik Kesihatan Sekinchan

Summary findings for Preventive Maintenance conducted on : 24.4.18

No	Item	Allocated Quantity	Serviced Quantity	Remarks
1	Desktop	5	5	
2	Laserjet Printer	1	1	
3	Server	1	1	
4	Ups	1	1	
5	Switch	1	1	
6	Thermal Printer	1	1	

Signature & Stamp:

For PLSB	For Facility
Name: Ahmad Heiqal Noor Zaman Designation: Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd. Date:	Name: KHAIRUL ASYMAWI B ISHAK Designation: B.Ph B Pharm (Hons) UiTM Pegawai Farmasi U44 (No. 8587) Klinik Kesihatan Sekinchan Date:

Appendix B

Preventive Maintenance Checklist

PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)

(FORM 2)

FACILITY : KK SEKINCHAN

LOCATION : Stor Prepack

STATE : SELANGOR

ZONE : 9

SERVER 1		SERVER 2		UPS	
PAT ID :	CPS/SEL-06/KKS-01/SVR-001	PAT ID :		PAT ID :	CPS/SEL-06/KKS-01/UPS-001
SERIAL NO :	06FZMNZ	SERIAL NO :		SERIAL NO :	1523503455AF413
MODEL :	LENOVO X3650 M5	MODEL :	LENOVO X3650 M5	MODEL :	LIEBERT 3KVA

If Alert is tick (√), fill in & elobrate details in FINDINGS / COMMENTS /DETECTION session.

PART I - HARDWARE , CABLING & CONNECTIVITY (INSPECTION & PHYSICAL CHECK)

Standard Task:

Cleaning ☑ ☐

Verify Condition :

	SERVER 1 Function	SERVER 1 Not Function & Resolved	SERVER 1 Not Function & Unresolved: Alert	SERVER 1 Not Function & Unresolved: Ticket No	SERVER 2 Function	SERVER 2 Not Function & Resolved	SERVER 2 Not Function & Unresolved: Alert	SERVER 2 Not Function & Unresolved: Ticket No
Connection via LAN / USB	☑	☐	☐		☐	☐	☐	
Fan/ Power Supply	☑	☐	☐		☐	☐	☐	
Light Path Diagnosis panel	☑	☐	☐		☐	☐	☐	
UTP Cable connect to switch	☑	☐	☐		☐	☐	☐	
HA Gateway to Core Swtich *(For Hospital only)*	☐	☐	☐		☐	☐	☐	

	UPS Function	UPS Not Function & Resolved	UPS Not Function & Unresolved: Alert	UPS Not Function & Unresolved: Ticket No
By pass Test	☑	☐	☐	
Webcard	☑	☐	☐	
Multilink	☑	☐	☐	

Backup Tape	Available	Faulty	Type
Qty			

PART II - SETUP & HEALTH CHECK

N/A ☐

Run DSA & collect DSA Log	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
SERVER 1	☑	☐	☐	
SERVER 2	☐	☐	☐	

Software/Firmware Version :

	SERVER 1 Current	SERVER 1 Updated	SERVER 2 Current	SERVER 2 Updated
ClamAV	0.99.1		0.99.1	
Zabbix	2.2.6		2.2.6	
Bacula	5.2.12		5.2.12	
Glassfish	3.1.2.2		3.1.2.2	
UEFI	1.2		1.2	
IMM2	1.92		1.92	

System Software

	SERVER 1 Current	SERVER 1 Updated	SERVER 2 Current	SERVER 2 Updated
SUSE LINUX (OS)	X86_64		X86_64	
Kernel	3.0.75		3.0.75	
GCC	4.3.4		4.3.4	

Housekeeping:

	SERVER 1	SERVER 2
Clear /tmp folder > 2 weeks ☐	*Screenshot / attachment*	*Screenshot / attachment*
Archive Log Files ☐		

PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)

(FORM 2)

PAT ID :

SERIAL NO:

TYPE : STORAGE

PART III - STORAGE N/A ☑

Perform Health Check:	Function	Not Function & Resolved	Not Function & Unresolved	
			Alert	Ticket No
Storage Manager Error Alerts	☐	☐	☐	
Storage events logs	☐	☐	☐	
HDD indicator lights	☐	☐	☐	
Enable read/write cache	☐	☐	☐	
Enable Media Scan both at controller level and LUN level	☐	☐	☐	

Software/Firmware Version :

	Current	Updated
Controller		
ESM		
Driver		

PART IV - FINDINGS / ALERTS / DETECTION

FURTHER ACTION / RECOMMENDATION

PART V - ACKNOWLEDGEMENT

CUSTOMER

Signature & Stamp

Customer Name

Date

KHAIRUL ASYMAWI B ISHAK
R.Ph B Pharm (Hons) UiTM
Pegawai Farmasi U44 (No. 8587)
Klinik Kesihatan Sekinchan

PHARMANIAGA LOGISTICS SDN BHD (PLSB)

Signature & Stamp

Engineer Name

Date

Ahmad Heiqal Noor Zaman
Field Technical Engineer
Pharmaniaga Logistics Sdn. Bhd.

PREVENTIVE MAINTENANCE CHECKLIST
(CORE SWTICH / DISTRIBUTION SWITCH)

(FORM 3)

FACILITY : KK SEKINCHAN | DEPT : IT | LOCATION : | STATE : SELANGOR | ZONE : 9

PAT ID : CPS/SEL-06/KKS-01/DSW-001 | CORE SWITCH / DISTRIBUTION SWITCH | Location : Stor Prepack

SERIAL NO: DNI19260AL1 | Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

Cleaning ☑

PART II - STANDARD HEALTH CHECK

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved	
			Alert	Ticket No
Cable & Connection	☑	☐	☐	
Power Supply	☑	☐	☐	
Check LED Status				
System LED	☑	☐	☐	
Master LED	☑	☐	☐	
STACK ID	☐	☐	☐	

PART III - STANDARD SETUP

	Function	Not Function & Resolved	Not Function & Unresolved	
			Alert	Ticket No
SSH Access & Connection				
Execute Putty to start	☑	☐	☐	
Specify the IP to connect	☑	☐	☐	
Test Login	☑	☐	☐	
Test & Verify Management IP via console access	☐	☐	☐	

PAT ID : | CORE SWITCH / DISTRIBUTION SWITCH | Location :

SERIAL NO: | Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

Cleaning ☐

PART II - STANDARD HEALTH CHECK

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved	
			Alert	Ticket No
Cable & Connection	☐	☐	☐	
Power Supply	☐	☐	☐	
Check LED Status				
System LED	☐	☐	☐	
Master LED	☐	☐	☐	
STACK ID	☐	☐	☐	

PART III - STANDARD SETUP

	Function	Not Function & Resolved	Not Function & Unresolved	
			Alert	Ticket No
SSH Access & Connection				
Execute Putty to start	☐	☐	☐	
Specify the IP to connect	☐	☐	☐	
Test Login	☐	☐	☐	
Test & Verify Management IP via console access	☐	☐	☐	

PART IV - FINDINGS / COMMENTS / DETECTION

FURTHER ACTION / RECOMMENDATION

PART V - ACKNOWLEDGEMENT

CUSTOMER

Signature & Stamp

KHAIRUL ASYMAWI B ISHAK
R.Ph B Pharm (Hons) UITM
Pegawai Farmasi U44 (No. 8587)
Klinik Kesihatan Sekinchan

Customer Name

Date

PHARMANIAGA LOGISTICS SDN BHD (PLSB)

Signature & Stamp

Engineer Name

Date

Ahmad Heiqal Noor Zaman
Field Technical Engineer
Pharmaniaga Logistics Sdn. Bhd.

PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)

(FORM 1)

FACILITY : KK SEKINCHAN | DEPT : OUTPATIENT PHARMACY | LOCATION : | STATE : SELANGOR | ZONE : 9

PAT ID : CPS/SEL-06/KKS-01/PCD-001 | DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB | Location : Procurement

S/N CPU : PC071AQ7 | MONITOR: V901W7TT | KEYBOARD : 0012161 | MOUSE: 5G34502276B | Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes ☐ No ☑ N/A ☐
* Device is harden
MEMORY : 2 GB ☐
4 GB ☑

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition	120	119	☐	
2nd Partition	93.8	118	☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☐

Verification:	Function	Not Function & Resolved
IWP	☑	☐
KYM	☑	☐
PhIS Portal	☑	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☑	☐	☑	
(b) Internet Explorer 9 (64bits)	☑	☐	☑	
ClamAv - Ver 0.99.1	☑	☐	☑	
Microsoft Office	☑	☐	☑	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☑	☐	☑	
IOS Version - TAB only	☐	☐	☐	

PAT ID : CPS/SEL-06/KKS-01/PCD-002 | DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB | Location : Screening, Verification & Labeling

S/N CPU : PC071CJK | MONITOR: V901W7MH | KEYBOARD : 0009209 | MOUSE: 5G345039148 | Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes ☐ No ☑ N/A ☐
* Device is harden
MEMORY : 2 GB ☐
4 GB ☑

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition	130	109	☐	
2nd Partition	85.9	126	☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☐

Verification:	Function	Not Function & Resolved
IWP	☑	☐
KYM	☑	☐
PhIS Portal	☑	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☑	☐	☑	
(b) Internet Explorer 9 (64bits)	☑	☐	☑	
ClamAv - Ver 0.99.1	☑	☐	☑	
Microsoft Office	☑	☐	☑	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☑	☐	☑	
IOS Version - TAB only	☐	☐	☐	

PAT ID : CPS/SEL-06/KKS-01/PCD-003 | DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB | Location : Screening, Verification & Labeling

S/N CPU : PC071CNE | MONITOR: V901W7V5 | KEYBOARD : 0009210 | MOUSE: 5G34503922B | Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes ☐ No ☑ N/A ☐
* Device is harden
MEMORY : 2 GB ☐
4 GB ☑

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition	121	117	☐	
2nd Partition	75.6	136	☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☐

Verification:	Function	Not Function & Resolved
IWP	☑	☐
KYM	☑	☐
PhIS Portal	☑	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☑	☐	☑	
(b) Internet Explorer 9 (64bits)	☑	☐	☑	
ClamAv - Ver 0.99.1	☑	☐	☑	
Microsoft Office	☑	☐	☑	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☑	☐	☑	
IOS Version - TAB only	☐	☐	☐	

NOTE: Device is harden = "Yes", task complete. If ="No", Inform IT / Facility Representative

PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)

(FORM 1)

FACILITY : DEPT : LOCATION : STATE : ZONE :

PAT ID : CPS/SEL-06/KKS-01/PCD-004 — DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB — Location : Dispensing

S/N CPU : PC071CNG MONITOR: V901W2D7 KEYBOARD : 0003188 MOUSE: 5G34503923B Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes ☐ No ☑ N/A ☐
* Device is harden
MEMORY : 2 GB ☐
4 GB ☑

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition	132	106	☐	
2nd Partition	75.6	136	☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☐

Verification:	Function	Not Function & Resolved
IWP	☑	☐
KYM	☑	☐
PhIS Portal	☑	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☑	☐	☑	
(b) Internet Explorer 9 (64bits)	☑	☐	☑	
ClamAv - Ver 0.99.1	☑	☐	☑	
Microsoft Office	☑	☐	☑	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☑	☐	☑	
IOS Version - TAB only	☐	☐	☐	

PAT ID : CPS/SEL-06/KKS-01/PCD-005 — DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB — Location : Medication Counseling & MTAC

S/N CPU : PC071CNH MONITOR: V9018SEG KEYBOARD : 0003195 MOUSE: 5G34503924B Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes ☐ No ☑ N/A ☐
* Device is harden
MEMORY : 2 GB ☐
4 GB ☑

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition	118	121	☐	
2nd Partition	75.6	136	☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☐

Verification:	Function	Not Function & Resolved
IWP	☑	☐
KYM	☑	☐
PhIS Portal	☑	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☑	☐	☑	
(b) Internet Explorer 9 (64bits)	☑	☐	☑	
ClamAv - Ver 0.99.1	☑	☐	☑	
Microsoft Office	☑	☐	☑	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☐	☐	☐	
IOS Version - TAB only	☐	☐	☐	

PAT ID : CPS/SEL-06/KKS-01/LJP-001 — DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB — Location : Procurement

S/N CPU : 451457LM2GMNZ MONITOR: KEYBOARD : MOUSE: Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes ☐ No ☐ N/A ☐
* Device is harden
MEMORY : 2 GB ☐
4 GB ☐

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition			☐	
2nd Partition			☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☑

Verification:	Function	Not Function & Resolved
IWP	☐	☐
KYM	☐	☐
PhIS Portal	☐	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☐	☐	☐	
(b) Internet Explorer 9 (64bits)	☐	☐	☐	
ClamAv - Ver 0.99.1	☐	☐	☐	
Microsoft Office	☐	☐	☐	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☐	☐	☐	
IOS Version - TAB only	☐	☐	☐	

NOTE: Device is harden = "Yes", task complete. If ="No", Inform IT / Facility Representative

PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)

(FORM 1)

FACILITY : DEPT : LOCATION : STATE : ZONE :

PAT ID : CPS/SEL-06/KKS-01/THP-001 DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB Location : Screening, Verification & Labeling

S/N CPU : 2305P000260 MONITOR: KEYBOARD : MOUSE: Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☑

Desktop/Notebook/TAB: Yes No N/A
* Device is harden ☐ ☐ ☐
MEMORY : 2 GB ☐
4 GB ☐

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☑	☐	☐	
Fan/ Power Supply/ Charger	☑	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition			☐	
2nd Partition			☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☑

Verification:	Function	Not Function & Resolved
IWP	☐	☐
KYM	☐	☐
PhIS Portal	☐	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☐	☐	☐	
(b) Internet Explorer 9 (64bits)	☐	☐	☐	
ClamAv - Ver 0.99.1	☐	☐	☐	
Microsoft Office	☐	☐	☐	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☐	☐	☐	
IOS Version - TAB only	☐	☐	☐	

PAT ID : DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM/ MYKAD/ TAB Location :

S/N CPU : MONITOR: KEYBOARD : MOUSE: Loaned ☐ Unlocated ☐ Relocated ☐

PART I - STANDARD TASK

All Device:
Cleaning ☐

Desktop/Notebook/TAB: Yes No N/A
* Device is harden ☐ ☐ ☐
MEMORY : 2 GB ☐
4 GB ☐

PART II - STANDARD HEALTH CHECK N/A ☐

Verify Condition :	Function	Not Function & Resolved	Not Function & Unresolved: Alert	Ticket No
Connection via LAN / USB	☐	☐	☐	
Fan/ Power Supply/ Charger	☐	☐	☐	
Hard Disk Utilization (GB) :	Used	Free	Alert	Ticket No
1st Partition			☐	
2nd Partition			☐	
Storage (TAB only)			☐	

PART III - STANDARD SETUP N/A ☐

Verification:	Function	Not Function & Resolved
IWP	☐	☐
KYM	☐	☐
PhIS Portal	☐	☐

Auto update disabled:	Function	Not Function & Resolved	Current Version	Updated Version
(a) Java (JKD 6 update 30)	☐	☐	☐	
(b) Internet Explorer 9 (64bits)	☐	☐	☐	
ClamAv - Ver 0.99.1	☐	☐	☐	
Microsoft Office	☐	☐	☐	
BCP (BCP PC only)	☐	☐	☐	
Backup PC (Bacula Web)	☐	☐	☐	
IOS Version - TAB only	☐	☐	☐	

PART IV - FINDINGS / ALERTS / DETECTION

FURTHER ACTION / RECOMMENDATION

PART V - ACKNOWLEDGEMENT

CUSTOMER

Signature & Stamp
Customer Name
Date

KHAIRUL ASYMAWI B ISHAK
R.Ph B Pharm (Hons) UiTM
Pegawai Farmasi U44 (No. 8587)
Klinik Kesihatan Sekinchan

PHARMANIAGA LOGISTICS SDN BHD (PLSB)

Signature & Stamp
Engineer Name
Date

Ahmad Heiqal Noor Zaman
Field Technical Engineer
Pharmaniaga Logistics Sdn. Bhd.

Appendix C

Hardware Inventory List

Hardware Inventory List

List of equipment available in the facility as per below table:

1.PCD

No	CPU	MONITOR	KEYBOARD	MOUSE	ASSET TAGGING	DEPARTMENT	LOCATION
1	PC071AQ7	V901W7TT	0012161	5G34502276B	CPS/SEL-06/KKS-01/PCD-001	Outpatient Pharmacy	Procurement
2	PC071CJK	V901W7MH	0009209	5G34503914B	CPS/SEL-06/KKS-01/PCD-002	Outpatient Pharmacy	Screening, Verification & Labeling
3	PC071CNE	V901W7V5	0009210	5G34503922B	CPS/SEL-06/KKS-01/PCD-003	Outpatient Pharmacy	Screening, Verification & Labeling
4	PC071CNG	V901W2D7	0003188	5G34503923B	CPS/SEL-06/KKS-01/PCD-004	Outpatient Pharmacy	Dispensing
5	PC071CNH	V90185EG	0003195	5G34503924B	CPS/SEL-06/KKS-01/PCD-005	Outpatient Pharmacy	Medication Counseling & MTAC

2.LASERJET PRINTER

No.	LJP	ASSET TAGGING	DEPARTMENT	LOCATION
1	451457LM2GMNZ	CPS/SEL-06/KKS-01/LJP-001	Outpatient Pharmacy	Procurement

3.NETWORK SWITCH

No.	SW S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	DNI19260AL1	CPS/SEL-06/KKS-01/DSW-001	IT	Stor Prepack

4.SERVER

No.	SERVER S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	06FZMNZ	CPS/SEL-06/KKS-01/SVR-001	IT	Stor Prepack

5.UPS

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	1523503455AF413	CPS/SEL-06/KKS-01/UPS-001	IT	Stor Prepack

6.THERMAL PRINTER

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	2305P000260	CPS/SEL-06/KKS-01/THP-001	Outpatient Pharmacy	Screening, Verification & Labeling