



PhIS & CPS PROJECT



Pharmacy Information System (PhIS) and Clinic Pharmacy System (CPS)

Klinik Kesihatan Seksyen 7

**JKN SELANGOR
(ZONE 10)**

1st Preventive Maintenance Report

P.M. Date	08 FEBRUARY 2018
Report ID	PM/REPORT/Z10/KKSEKSYEN7
Report Version	V1.0



PhIS & CPS PROJECT



© 2011 – 2018 Pharmaniaga Logistics Sdn Bhd (PLSB)

CONFIDENTIAL COPYRIGHTED MATERIAL – *The information includes all concepts, comments, recommendations, and material, contained herein shall remain the property of Pharmaniaga Logistics Sdn Bhd (PLSB). No portion of this document shall be disclosed, duplicated or used in whole or in part of any purpose other than the purpose of the Pharmacy Information System & Clinic Pharmacy System (PhIS & CPS) Project execution only.*



PHIS & CPS PROJECT



Revision History:

Ver. No	Date of Release	Consolidated by	List of Changes from Previous Version	Signature & Date
1.0	08/02/2018	Muhammad Anuar bin Awaluddin	Initial document	 MUHAMMAD ANUAR B. AWALUDDIN PHIS & CPS Implementation Pharmeniaga Logistik Sdn. Bhd. 8/2/18

Verified and Acknowledged by facility:

Received / Acknowledged by facility	
Name	
Signature / Company Stamp	 UNIT FARMASI KLINIK KESEHATAN SEKSYEN 7 No 2 Persiaran Kayangan Seksyen 7 40000 Shah Alam, Selangor DE Tel : 03-55186931 Fax : 03-55186532
Designation / Department	
Date	



PHIS & CPS PROJECT



Appendix A

Certificate of Acceptance



EXECUTION OF PREVENTIVE MAINTENANCE

Project: PhIS & CPS

1ST Preventive Maintenance (2018)
For
Klinik Kesihatan Seksyen 7

Summary findings for Preventive Maintenance conducted on 08/02/2018

No	Item	Allocated Quantity	Serviced Quantity	Remarks
1	Desktop	1	1	
2	LaserJet Printer	1	1	
3	Server	1	1	
4	UPS	1	1	

Signature & Stamp:

<p><u>For PLSB</u></p>  <p>Name: MUHAMMAD ANJAR B. AWALUDIN PhIS & CPS Implementer Pharmaniaga Logistic Sdn. Bhd. Date: 8/2/18</p>	<p><u>For Facility</u></p>  <p>Name: RAYMOND SANYOUNG PhIS & CPS Implementer UNIT PHARMASI KLINIK KESEHATAN SEKSYEN 7 No 2 Persiaran Kayangan Seksyen 7 40000 Shah Alam, Selangor DE Tel : 03-55186531 Fax : 03-55186532 Date: 8/2/18</p>
--	--



PhIS & CPS PROJECT



Appendix B

Preventive Maintenance Checklist

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

(FORM 2)

FACILITY : KLINIK KESIHATAN SEKSYEN 7 DEPT : IT LOCATION : Server Room
 STATE : SELANGOR ZONE : 10

SERVER 1	SERVER 2	UPS
PAT ID : <u>CPS/SEL-04/KKS-04/SVR-001</u>	PAT ID : <u>CPS/SEL-04/KKS-04/UPS-001</u>	
SERIAL NO : <u>06GHEGD</u>	SERIAL NO : <u>LS20803479AF4L3</u>	
MODEL : <u>LENOVO X3650 M5</u>	MODEL : <u>LIEBERT GXT3-1000RTZ30</u>	

If Alert is tick (X), fill in & elaborate details in FINDINGS / COMMENTS / DETECTION section.

PART I - HARDWARE, CABLING & CONNECTIVITY INSPECTION & PHYSICAL CHECK

Standard Task:	SERVER 1		SERVER 2		UPS	
	Function	Not Function & Resolved	Function	Not Function & Unresolved	Function	Not Function & Unresolved
Cleaning	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Verify Condition :						
Connection via LAN / USB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fan/ Power Supply	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Light Path Diagnosis panel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
UTP Cable connect to switch	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
HA Gateway to Core Switch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

By pass Test Webcard Multilink
 Backup Tape Available Type Faulty City

PART II - SETUP & HEALTH CHECK

Function	SERVER 1		SERVER 2		UPS	
	Not Function & Resolved	Not Function & Unresolved	Function	Not Function & Unresolved	Function	Not Function & Unresolved
Run DSA & collect DSA Log	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Software/Firmware Version :	SERVER 1	SERVER 2
ClamAV	Current: 0.98.3 Updated: <input type="checkbox"/>	Current: <input type="checkbox"/> Updated: <input type="checkbox"/>
Zabbix	2.2.6	
Bacula	5.2.12	
Glassfish	3.1.2.2	
UEFI	1.11	
IMM2	1.15	

System Software	SERVER 1	SERVER 2
SUSE LINUX (OS)	Current: SUSE 11 Updated: <input type="checkbox"/>	Current: <input type="checkbox"/> Updated: <input type="checkbox"/>
Kernel	3-0.76-0.11	
GCC	4.3.4	

Housekeeping:	SERVER 1	SERVER 2
Clear /tmp folder > 2 weeks	<input type="checkbox"/>	<input type="checkbox"/>
Archive Log Files	<input type="checkbox"/>	<input type="checkbox"/>

Current	Updated
SERVER 1	Screenshot / attachment
SERVER 2	Screenshot / attachment

N/A

**PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)**

FACILITY : **KLINIK KESIHATAN SEKSYEN 7** DEPT : **OUTPATIENT PHARMACY** LOCATION : **OUTPATIENT PHARMACY** STATE : **SELANGOR** ZONE : **10**

PAT ID : **CPS/SEL-04/KKS-04/PCD-001** MONITOR : **V901ETN9** KEYBOARD : **0000259** MOUSE : **H5515HAIRAV** Location : **OUTPATIENT PHARMACY** Replaced :

S/N CPU : **PC05FLZ1** N/A PART II - STANDARD HEALTH CHECK

PART I - STANDARD TASK		PART II - STANDARD HEALTH CHECK		PART III - STANDARD SETUP	
Function	Not Function & Resolved	Function	Not Function & Resolved	Function	Not Function & Resolved
All Device: Cleaning	<input checked="" type="checkbox"/>	Verify Condition : Connection via LAN / USB	Alert: <input type="checkbox"/> Ticket No: <input type="checkbox"/>	Auto update disabled:	<input type="checkbox"/>
Desktop/Notebook: Device is harden	<input type="checkbox"/>	Fan/ Power Supply/ Charger	<input type="checkbox"/>	(a) Java (JDK 6 update 30)	<input type="checkbox"/>
MEMORY : 2 GB	<input checked="" type="checkbox"/>	Hard Disk Utilization (GB) :	Free <input type="checkbox"/> Alert <input type="checkbox"/> Ticket No <input type="checkbox"/>	(b) Internet Explorer 9 (64bits)	<input type="checkbox"/>
4 GB	<input type="checkbox"/>	1st Partition	Used <input type="checkbox"/>	ClamAv - Ver 0.98.3	<input type="checkbox"/>
		2nd Partition	117	Microsoft Office	<input type="checkbox"/>
			136	BCP (BCP PC only)	<input type="checkbox"/>
				Backup PC (Bacula Web)	<input type="checkbox"/>

PAT ID : **CPS/SEL-04/KKS-04/LJP-001** MONITOR : **4514SPLM2H6VC** KEYBOARD : **MOUSE** Location : **OUTPATIENT PHARMACY** Replaced :

S/N CPU : **4514SPLM2H6VC** N/A PART II - STANDARD HEALTH CHECK

PART I - STANDARD TASK		PART II - STANDARD HEALTH CHECK		PART III - STANDARD SETUP	
Function	Not Function & Resolved	Function	Not Function & Resolved	Function	Not Function & Resolved
All Device: Cleaning	<input checked="" type="checkbox"/>	Verify Condition : Connection via LAN / USB	Alert: <input type="checkbox"/> Ticket No: <input type="checkbox"/>	Auto update disabled:	<input type="checkbox"/>
Desktop/Notebook: Device is harden	<input type="checkbox"/>	Fan/ Power Supply/ Charger	<input type="checkbox"/>	(a) Java (JDK 6 update 30)	<input type="checkbox"/>
MEMORY : 2 GB	<input type="checkbox"/>	Hard Disk Utilization (GB) :	Free <input type="checkbox"/> Alert <input type="checkbox"/> Ticket No <input type="checkbox"/>	(b) Internet Explorer 9 (64bits)	<input type="checkbox"/>
4 GB	<input type="checkbox"/>	1st Partition	Used <input type="checkbox"/>	ClamAv - Ver 0.98.3	<input type="checkbox"/>
		2nd Partition		Microsoft Office	<input type="checkbox"/>
				BCP (BCP PC only)	<input type="checkbox"/>
				Backup PC (Bacula Web)	<input type="checkbox"/>

PART IV - FINDINGS / ALERTS / DETECTION

FURTHER ACTION / RECOMMENDATION

PART V - ACKNOWLEDGEMENT	
CUSTOMER	PHARMANIAGA LOGISTICS SDN BHD (PLSE)
Signature & Stamp	Signature & Stamp
Customer Name	Engineer Name
Date	Date

MUHAMMAD ANWAR B. AWALUDIN
CPS PROVISIONER
Pharmaniaga Logistik Sdn. Bhd.
8/7/18



PhIS & CPS PROJECT




Appendix C

Hardware Inventory List



PHIS & CPS PROJECT



Hardware Inventory List

List of equipment available in the facility as per below table:

1 PCD

No	CPU	MONITOR	KEYBOARD	MOUSE	ASSET TAGGING	DEPARTMENT	LOCATION
1	PC05FL21	V901ETN9	0000299	HS515HA1RAV	CPS/SEL-04/KKS-04/PCD-001	Outpatient Pharmacy	Outpatient Pharmacy

2. LASERJET PRINTER

No.	LASERJET	ASSET TAGGING	DEPARTMENT	LOCATION
1	45145PLM2G6VC	CPS/SEL-04/KKS-04/LJP-001	Outpatient Pharmacy	Outpatient Pharmacy

3.SERVER

No.	SERVER	ASSET TAGGING	DEPARTMENT	LOCATION
1	06GHEGD	CPS/SEL-04/KKS-04/SVR-001	IT	Server Room

4.UPS

No.	UPS	ASSET TAGGING	DEPARTMENT	LOCATION
1	151730522AF-413	CPS/SEL-04/KKS-04/UPS-001	IT	Server Room