



Pharmacy Information System (PhIS) and Clinic Pharmacy System (CPS)

Klinik Kesihatan Serendah

**JKN SELANGOR
(ZONE 9)**

1ST Preventive Maintenance Report

P.M. Date	18 APRIL 2018
Report ID	PM/REPORT/Z9/KKSERENDAH
Report Version	V1.0




PhIS & CPS PROJECT



© 2011 – 2018 Pharmaniaga Logistics Sdn Bhd (PLSB)

CONFIDENTIAL COPYRIGHTED MATERIAL – *The information includes all concepts, comments, recommendations, and material, contained herein shall remain the property of Pharmaniaga Logistics Sdn Bhd (PLSB). No portion of this document shall be disclosed, duplicated or used in whole or in part of any purpose other than the purpose of the Pharmacy Information System & Clinic Pharmacy System (PhIS & CPS) Project execution only.*

**Revision History:**

Ver. No	Date of Release	Consolidated by	List of Changes from Previous Version	Signature & Date
1.0	18-4-18	Ahmad Heiqal Bin Noor Zaman	Initial document	 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.

Verified and Acknowledged by facility:

Received / Acknowledged by facility	
Name	
Signature / Company Stamp	 MASNI MD JADI, RPh 5321 Pegawai Farmasi Klinik Kesihatan Serendah
Designation / Department	
Date	18/4/18



PHIS & CPS PROJECT



Appendix A

Certificate of Acceptance

EXECUTION OF PREVENTIVE MAINTENANCE

Project: PhIS & CPS

1ST Preventive Maintenance (2018)


For

Klinik Kesihatan Serendah

Summary findings for Preventive Maintenance conducted on : 18.4.18

No	Item	Allocated Quantity	Serviced Quantity	Remarks
1	Desktop	4	4	
2	Laserjet Printer	1	1	
3	Server	1	1	
4	Ups	1	1	
5	Switch	1	1	
6	Thermal Printer	2	2	
7	Notebook	1	1	

Signature & Stamp:

<u>For PLSB</u>	<u>For Facility</u>
<p style="text-align: center;"></p> <p>Name: Ahmad Heiqal Noor Zaman Designation: Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd. Date:</p>	<p style="text-align: center;"></p> <p>Name: MASNI MD JADI, RPh 5321 Designation: Pegawai Farmasi Klinik Kesihatan Serendah Date: 11/4/18</p>



Appendix B

Preventive Maintenance Checklist

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

FACILITY : **KK SERENDAH**
STATE : **SELANGOR**

ZONE : **9**

LOCATION : **JT**

*Screening, Verification,
Labelling & Dispensing*

SERVER 1	SERVER 2	UPS
PAT ID : CPS/SEL-07/KKS-01/SVR-001	PAT ID : CPS/SEL-07/KKS-01/UPS-001	
SERIAL NO : 06FKYDP	SERIAL NO : 1523503450AF13	
MODEL : LENOVO X3650 M5	MODEL : LIBERT 3KVA	

If Alert is tick (X), fill in & elaborate details in FINDINGS / COMMENTS / DETECTION section.

PART I - HARDWARE , CABLING & CONNECTIVITY (INSPECTION & PHYSICAL CHECK)

Standard Task:	SERVER 1		SERVER 2		UPS	
	Function	Not Function & Resolved	Function	Not Function & Resolved	Function	Not Function & Resolved
Cleaning	<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
Verify Condition :						
Connection via LAN / USB	<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
Fan/ Power Supply	<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
Light Path Diagnosis panel	<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
UTP Cable connect to switch	<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
HA Gateway to Core Switch	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	

SERVER 2		UPS	
Function	Not Function & Resolved	Function	Not Function & Resolved
By pass Test	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Webcard	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Multilink	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Available	Faulty	Type
<input type="checkbox"/>	<input type="checkbox"/>	

PART II - SETUP & HEALTH CHECK

Function	SERVER 1		SERVER 2	
	Not Function & Resolved	Alert	Not Function & Resolved	Alert
Run DSA & collect DSA Log	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

N/A

Software/Firmware Version :

	SERVER 1		SERVER 2	
	Current	Updated	Current	Updated
ClamAV	0.99.1		0.99.1	
Zabbix	2.2.6		2.2.6	
Bacula	5.2.12		5.2.12	
Glassfish	3.1.2.2		3.1.2.2	
UEFI	1.2		1.2	
IMM2	1.92		1.92	

System Software

SERVER 1		SERVER 2	
Current	Updated	Current	Updated
SUSE LINUX (OS)		X86_64	
Kernel		3.0.75	
GCC		4.3.4	

Housekeeping:

Clear /tmp folder > 2 weeks
Archive Log Files

SERVER 2	
Current	Updated
X86_64	
3.0.75	
4.3.4	

SERVER 2	
Current	Updated
X86_64	
3.0.75	
4.3.4	

SERVER 1	
Current	Updated
X86_64	
3.0.75	
4.3.4	

SERVER 1	
Current	Updated
X86_64	
3.0.75	
4.3.4	

Screenshot / attachment

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

(FORM 2)

PAT ID : _____
 SERIAL NO: _____
 TYPE : _____ STORAGE

PART III - STORAGE N/A

Function	Not Function & Received		Not Function & Unresolved	
	Alert	Ticket No	Alert	Ticket No
Perform Health Check:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Storage Manager Error Alerts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Storage events logs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HDD indicator lights	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Enable read/write cache	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Enable Media Scan both at controller level and LUN level	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Software/Firmware Version :
 Controller
 ESM
 Driver

Current	Updated

PART IV - FINDINGS / ALERTS / DETECTION **FURTHER ACTION / RECOMMENDATION**

PART V - ACKNOWLEDGEMENT

CUSTOMER


MASNI MD UJADI, RPh 5321
 Pegawai Famasi
 Klinik Kesihatan Serendah
 17/4/14

PHARMANIAGA LOGISTICS SDN BHD (PLSE)


Ahmad Heiqal Noor Zaman
 Field Technical Engineer
 pharmaniaga Logistics Sdn. Bhd.

Signature & Stamp
 Customer Name
 Date

**PREVENTIVE MAINTENANCE CHECKLIST
(CORE SWITCH / DISTRIBUTION SWITCH)**

(FORM 3)

FACILITY : KK SERENDAH DEPT : IT LOCATION : SELANGOR STATE : ZONE : 9

PAT ID : CPS/SEL-07/KKS-02/BSW-001 CORE SWITCH / DISTRIBUTION SWITCH Location : Screening, verification & labelling Dispensing

SERIAL NO: DN119260AXY Location : Loaned Unlocated Relocated

PART I - STANDARD TASK	PART II - STANDARD HEALTH CHECK			PART III - STANDARD SETUP		
	Function	Not Function & Resolved	Alert	Not Function & Unresolved	Alert	Ticket No
Cleaning <input checked="" type="checkbox"/>	Verify Condition : Cable & Connection	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Power Supply	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Check LED Status	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	System LED Master LED STACK ID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SSH Access & Connection Execute Putty to start Specify the IP to connect Test Login Test & Verify Management IP via console access						

PAT ID : LOCATION : Loaned Unlocated Relocated

PART I - STANDARD TASK	PART II - STANDARD HEALTH CHECK			PART III - STANDARD SETUP		
	Function	Not Function & Resolved	Alert	Not Function & Unresolved	Alert	Ticket No
Cleaning <input type="checkbox"/>	Verify Condition : Cable & Connection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Power Supply	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Check LED Status	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	System LED Master LED STACK ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SSH Access & Connection Execute Putty to start Specify the IP to connect Test Login Test & Verify Management IP via console access						

PART IV - FINDINGS / COMMENTS / DETECTION

FURTHER ACTION / RECOMMENDATION

<p>CUSTOMER</p> <p>Signature & Stamp</p> <p>MASNI MD JADI, RPh 5321 Pegawai Farmasi Klinik Kesihatan Serendah 13/4/14</p>	<p>PHARMANIAGA LOGISTICS SDN BHD (PLSB)</p> <p>Signature & Stamp</p> <p>Engineer Name Ahmad Helqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.</p>
--	---

**PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)**

FACILITY : **KK SERENDAH** DEPT : **OUTPATIENT PHARMACY** LOCATION : **SELANGOR** STATE : **SELANGOR** ZONE : **9**

PAT ID : **CPS/SEL-07/KKS-01/PCD-001** MONITOR : **V901W7VN** KEYBOARD : **0003201** MOUSE : **5G34508856B** Location : Unlocated Relocated **Screening, verification & labelling Dispensing**

S/N CPU : **PC071C6S**

PART I - STANDARD TASK		PART II - STANDARD HEALTH CHECK		PART III - STANDARD SETUP			
Function	Not Function & Resolved	Function	Not Function & Unresolved	Function	Not Function & Resolved	Function	Not Function & Resolved
<input checked="" type="checkbox"/> All Device: Cleaning	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Alert <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No	Verification: IWP <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fan/ Power Supply/ Charger	<input type="checkbox"/>	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	KYM <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hard Disk Utilization (GB) :	<input type="checkbox"/>	Free <input type="checkbox"/>	Ticket No	PHIS Portal <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1st Partition	<input type="checkbox"/>	128	<input type="checkbox"/>	Auto update disabled:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2nd Partition	<input type="checkbox"/>	76.4	<input type="checkbox"/>	(a) Java (JKD 6 update 30)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Storage (TAB only)	<input type="checkbox"/>	136	<input type="checkbox"/>	(b) Internet Explorer 9 (64bits)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				ClamAv - Ver 0.99.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Microsoft Office	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				BCP (BCP PC only)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Backup PC (Bacula Web)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				IOS Version - TAB only	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAT ID : **CPS/SEL-07/KKS-01/PCD-002** MONITOR : **V901W2DL** KEYBOARD : **0003202** MOUSE : **5G34508854B** Location : Unlocated Relocated **Screening, verification & labelling Dispensing**

S/N CPU : **PC071C6B**

PART I - STANDARD TASK		PART II - STANDARD HEALTH CHECK		PART III - STANDARD SETUP			
Function	Not Function & Resolved	Function	Not Function & Unresolved	Function	Not Function & Resolved	Function	Not Function & Resolved
<input checked="" type="checkbox"/> All Device: Cleaning	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Alert <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No	Verification: IWP <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fan/ Power Supply/ Charger	<input type="checkbox"/>	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	KYM <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hard Disk Utilization (GB) :	<input type="checkbox"/>	Free <input type="checkbox"/>	Ticket No	PHIS Portal <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1st Partition	<input type="checkbox"/>	120	<input type="checkbox"/>	Auto update disabled:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2nd Partition	<input type="checkbox"/>	75.6	<input type="checkbox"/>	(a) Java (JKD 6 update 30)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Storage (TAB only)	<input type="checkbox"/>	136	<input type="checkbox"/>	(b) Internet Explorer 9 (64bits)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				ClamAv - Ver 0.99.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Microsoft Office	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				BCP (BCP PC only)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Backup PC (Bacula Web)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				IOS Version - TAB only	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAT ID : **CPS/SEL-07/KKS-01/PCD-003** MONITOR : **V901W7RV** KEYBOARD : **0001903** MOUSE : **5G345C0773B** Location : Unlocated Relocated **Distribution & Prepack**

S/N CPU : **PC071CPQ**

PART I - STANDARD TASK		PART II - STANDARD HEALTH CHECK		PART III - STANDARD SETUP			
Function	Not Function & Resolved	Function	Not Function & Unresolved	Function	Not Function & Resolved	Function	Not Function & Resolved
<input checked="" type="checkbox"/> All Device: Cleaning	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Alert <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No	Verification: IWP <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fan/ Power Supply/ Charger	<input type="checkbox"/>	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	KYM <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hard Disk Utilization (GB) :	<input type="checkbox"/>	Free <input type="checkbox"/>	Ticket No	PHIS Portal <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1st Partition	<input type="checkbox"/>	125	<input type="checkbox"/>	Auto update disabled:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2nd Partition	<input type="checkbox"/>	82.3	<input type="checkbox"/>	(a) Java (JKD 6 update 30)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Storage (TAB only)	<input type="checkbox"/>	130	<input type="checkbox"/>	(b) Internet Explorer 9 (64bits)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				ClamAv - Ver 0.99.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Microsoft Office	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				BCP (BCP PC only)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				Backup PC (Bacula Web)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				IOS Version - TAB only	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

NOTE: Device is harden = "Yes", task complete. If "No", Inform IT / Facility Representative

**PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)**

FACILITY :	DEPT :	LOCATION :	STATE :	ZONE :
PAT ID :	DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM / MYKAD / TAB			
S/N CPU :	KEYBOARD :	MOUSE :	Location : <input type="checkbox"/> Relocated <input type="checkbox"/>	
PART I - STANDARD TASK				
All Device: Cleaning <input checked="" type="checkbox"/>		Verification: IWP <input type="checkbox"/> KYM <input type="checkbox"/> PhIS Portal <input type="checkbox"/>		
Desktop/Notebook/TAB: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>		Auto update disabled: (a) Java (JDK 6 update 30) <input type="checkbox"/> (b) Internet Explorer 9 (64bits) <input type="checkbox"/> ClamAv - Ver 0.99.1 <input type="checkbox"/> Microsoft Office <input type="checkbox"/> BCP (BCP PC only) <input type="checkbox"/> Backup PC (Bacula Web) <input type="checkbox"/> IOS Version - TAB only <input type="checkbox"/>		
* Device is harden <input type="checkbox"/> 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/>		Not Function & Resolved: <input type="checkbox"/> Function: <input type="checkbox"/> Not Function & Resolved: <input type="checkbox"/> Updated Version: <input type="checkbox"/>		
PAT ID : CPS/SEL07/KKS-01/NBK-001 DEPARTMENT : LOCATION : Distribution & Prepack				
S/N CPU : R80GR35Q KEYBOARD : MOUSE :				
PART II - STANDARD HEALTH CHECK				
Verify Condition : Connection via LAN / USB <input type="checkbox"/> Fan/ Power Supply/ Charger <input type="checkbox"/> Hard Disk Utilization (GB) : 1st Partition <input type="checkbox"/> 2nd Partition <input type="checkbox"/> Storage (TAB only) <input type="checkbox"/>		Not Function & Unresolved: Alert <input type="checkbox"/> Ticket No <input type="checkbox"/>		
Function: <input checked="" type="checkbox"/> Used <input type="checkbox"/> Free <input type="checkbox"/>		Verification: IWP <input type="checkbox"/> KYM <input type="checkbox"/> PhIS Portal <input type="checkbox"/>		
Not Function & Resolved: <input type="checkbox"/> Alert <input type="checkbox"/> Ticket No <input type="checkbox"/>		Not Function & Resolved: <input type="checkbox"/> Function: <input type="checkbox"/> Not Function & Resolved: <input type="checkbox"/> Updated Version: <input type="checkbox"/>		
PAT ID : CPS/SEL07/KKS-01/NBK-001 DEPARTMENT : LOCATION : Distribution & Prepack				
S/N CPU : R80GR35Q KEYBOARD : MOUSE :				
PART III - STANDARD SETUP				
Verify Condition : Connection via LAN / USB <input type="checkbox"/> Fan/ Power Supply/ Charger <input type="checkbox"/> Hard Disk Utilization (GB) : 1st Partition <input type="checkbox"/> 2nd Partition <input type="checkbox"/> Storage (TAB only) <input type="checkbox"/>		Not Function & Unresolved: Alert <input type="checkbox"/> Ticket No <input type="checkbox"/>		
Function: <input checked="" type="checkbox"/> Used <input type="checkbox"/> Free <input type="checkbox"/>		Verification: IWP <input type="checkbox"/> KYM <input type="checkbox"/> PhIS Portal <input type="checkbox"/>		
Not Function & Resolved: <input type="checkbox"/> Alert <input type="checkbox"/> Ticket No <input type="checkbox"/>		Not Function & Resolved: <input type="checkbox"/> Function: <input type="checkbox"/> Not Function & Resolved: <input type="checkbox"/> Updated Version: <input type="checkbox"/>		
PAT ID : CPS/SEL07/KKS-01/NBK-001 DEPARTMENT : LOCATION : Distribution & Prepack				
S/N CPU : R80GR35Q KEYBOARD : MOUSE :				
PART IV - FINDINGS / ALERTS / DETECTION				
PART V - ACKNOWLEDGEMENT				
CUSTOMER: PHARMANIAGA LOGISTICS SDN BHD (PLSB)				
Signature & Stamp: 		Signature & Stamp: 		
Customer Name: MASNIF MD JALIL, NPH 5321		Customer Name: Ahmad Heiqal Noor Zaman		
Date:		Date:		
Klinik Kesihatan Serendah		Field Technical Engineer		
18/4/19		Pharmaniaga Logistics Sdn. Bhd.		



Appendix C

Hardware Inventory List



PHIS & CPS PROJECT

Hardware Inventory List

List of equipment available in the facility as per below table:

1.PCD

No	CPU	MONITOR	KEYBOARD	MOUSE	ASSET TAGGING	DEPARTMENT	LOCATION
1	PC071CK5	V901W7VN	0003201	5G34503856B	CPS/SEL-07/KKS-01/PCD-001	Outpatient Pharmacy	Screening, verification & labelling Dispensing
2	PC071CMB	V901W2DL	0003202	5G34503854B	CPS/SEL-07/KKS-01/PCD-002	Outpatient Pharmacy	Screening, verification & labelling Dispensing
3	PC071CPQ	V901W7RV	0001903	5G345C0773B	CPS/SEL-07/KKS-01/PCD-003	Outpatient Pharmacy	Distribution & Prepack
4	PC071CP0	V901W2E1	0001904	5G345C0788B	CPS/SEL-07/KKS-01/PCD-004	MTAC	Methadone

2.LASERJET PRINTER

No.	LP	ASSET TAGGING	DEPARTMENT	LOCATION
1	451457LM2GLZL	CPS/SEL-07/KKS-01/LJP-001	Outpatient Pharmacy	Screening, verification & labelling Dispensing

3.NETWORK SWITCH

No.	SW S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	DNI19260AXY	CPS/SEL-07/KKS-01/DSW-001	IT	Screening, verification & labelling Dispensing

4.SERVER

No.	SERVER S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	06FKYDP	CPS/SEL-07/KKS-01/SVR-001	IT	Screening, verification & labelling Dispensing

5.UPS

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	1523503450AF413	CPS/SEL-07/KKS-01/UPS-001	IT	Screening, verification & labelling Dispensing



PHIS & CPS PROJECT



6. THERMAL PRINTER

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	2305P000275	CPS/SEL-07/KKS-01/THP-001	Outpatient Pharmacy	Screening, verification & labelling Dispensing
2	2305P000271	CPS/SEL-07/KKS-01/THP-002	Outpatient Pharmacy	Distribution & Prepack

7. NOTEBOOK

No.	NB S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	R90GR3SQ	CPS/SEL-07/KKS-01/NBK-001	Outpatient Pharmacy	Distribution & Prepack