



Pharmacy Information System (PhIS) and Clinic Pharmacy System (CPS)

Klinik Kesihatan Tanjung Karang

**JKN SELANGOR
(ZONE 9)**

1ST Preventive Maintenance Report

P.M. Date	27 APRIL 2018
Report ID	PM/REPORT/Z9/KKTANJUNGKARANG
Report Version	V1.0



PhIS & CPS PROJECT



© 2011 – 2018 Pharmaniaga Logistics Sdn Bhd (PLSB)

CONFIDENTIAL COPYRIGHTED MATERIAL – *The information includes all concepts, comments, recommendations, and material, contained herein shall remain the property of Pharmaniaga Logistics Sdn Bhd (PLSB). No portion of this document shall be disclosed, duplicated or used in whole or in part of any purpose other than the purpose of the Pharmacy Information System & Clinic Pharmacy System (PhIS & CPS) Project execution only.*

**Revision History:**

Ver. No	Date of Release	Consolidated by	List of Changes from Previous Version	Signature & Date
1.0	27.4.18	Ahmad Heiqal Bin Noor Zaman	Initial document	 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.

Verified and Acknowledged by facility:

Received / Acknowledged by facility	
Name	
Signature / Company Stamp	 MAYTHY A/L PERI CHA PEN. PEG FARMASI U29 KK TANJONG KARANG ENIK KESIHATAN TANJONG KAJANG Jalan Sungai Kajang, 45500 Tg. Karang, Selangor D. E. No. Tel : 03-3269 8333
Designation / Department	
Date	27/4/18



PhIS & CPS PROJECT



Appendix A

Certificate of Acceptance


EXECUTION OF PREVENTIVE MAINTENANCE

Project: PhIS & CPS
1ST Preventive Maintenance (2018)
For
Klinik Kesihatan Tanjung Karang

Summary findings for Preventive Maintenance conducted on : 27.4.18

No	Item	Allocated Quantity	Serviced Quantity	Remarks
1	Desktop	2	2	
2	Laserjet Printer	1	1	
3	Server	1	1	
4	Ups	1	1	
5	Thermal Printer	1	1	

Signature & Stamp:

<p><u>For PLSB</u></p> <div style="text-align: center; margin-top: 20px;">  </div> <p>Name: Ahmad Heiqal Noor Zaman Designation: Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd. Date:</p>	<p><u>For Facility</u></p> <div style="text-align: center; margin-top: 20px;">  </div> <p>Name: MAYTHY A/L PERI CHA Designation: PEN. PEG FARMASI U29 KK TANJONG KARANG Date: 27/4/18</p>
--	--



Appendix B

Preventive Maintenance Checklist

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

(FORM 2)

FACILITY : **KK TANJUNG KARANG** IT LOCATION : Screening, Verification, Labelling & Dispensing

STATE : **SELANGOR** ZONE : **9**

SERVER 1	SERVER 2	UPS
PAT ID : CPS/SEL-05/KKS-05/SVR-001	PAT ID : CPS/SEL-05/KKS-05/UPS-001	
SERIAL NO : 06FZMNA	SERIAL NO : 1523603191AF413	
MODEL : LENOVO X3650 M5	MODEL : LIEBERT 3KVA	

If Alert is tick (X), fill in & elaborate details in FINDINGS / COMMENTS / DETECTION session.

PART I - HARDWARE, CABLING & CONNECTIVITY INSPECTION & PHYSICAL CHECK

Standard Task: **SERVER 1** **SERVER 2** **UPS**

Verify Condition :

Function	SERVER 1		SERVER 2		UPS	
	Not Function & Resolved	Alert	Not Function & Unresolved	Alert	Not Function & Resolved	Alert
Connection via LAN / USB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fan/ Power Supply	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Light Path Diagnosis panel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
UTP Cable connect to switch	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HA Gateway to Core Switch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

By pass Test Ticket No

Webcard Ticket No

Multilink Ticket No

Backup Tape Available Faulty Type

City

PART II - SETUP & HEALTH CHECK

Run DSA & collect DSA Log

Function	SERVER 1		SERVER 2	
	Not Function & Resolved	Alert	Not Function & Unresolved	Alert
SERVER 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SERVER 2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Software/Firmware Version :

Software/Firmware Version	SERVER 1		SERVER 2	
	Current	Updated	Current	Updated
ClamAV	0.99.1		0.99.1	
Zabbix	2.2.6		2.2.6	
Bacula	5.2.12		5.2.12	
Glassfish	3.1.2.2		3.1.2.2	
UEFI	1.2		1.2	
IMM2	1.92		1.92	

SERVER 2	
Current	Updated
X86_64	
3.0.75	
4.3.4	

SERVER 1	
Current	Updated
X86_64	
3.0.75	
4.3.4	

SERVER 2	
Current	Updated
X86_64	
3.0.75	
4.3.4	

SERVER 1	
Current	Updated
X86_64	
3.0.75	
4.3.4	

System Software
SUSE LINUX (OS)

Kernel
GCC

Housekeeping:
 Clear /tmp folder > 2 weeks
 Archive Log Files

**PREVENTIVE MAINTENANCE CHECKLIST
(SERVER / UPS / STORAGE)**

(FORM 2)

PATID : _____
 SERIAL NO: _____
 TYPE : STORAGE

PART III - STORAGE N/A

Function	Not Function & Resolved		Not Function & Unresolved	
	Alert	Ticket No	Alert	Ticket No
Perform Health Check:				
Storage Manager Error Alerts	<input type="checkbox"/>		<input type="checkbox"/>	
Storage events logs	<input type="checkbox"/>		<input type="checkbox"/>	
HDD indicator lights	<input type="checkbox"/>		<input type="checkbox"/>	
Enable read/write cache	<input type="checkbox"/>		<input type="checkbox"/>	
Enable Media Scan both at controller level and LUN level	<input type="checkbox"/>		<input type="checkbox"/>	

Software/Firmware Version :

Controller	Current	Updated
ESM		
Driver		

PART IV - FINDINGS / ALERTS / DETECTION


FURTHER ACTION / RECOMMENDATION

PART V - ACKNOWLEDGEMENT

CUSTOMER

Signature & Stamp
 MAYTHY AIL PERI CHA
 PEN. PEG FARMASI U29
 KK TANJONG KARANG
 27/12/18

PHARMANIAGA LOGISTICS SDN BHD (PLSB)

Signature & Stamp

 Engineer Name
 Ahmad Heiqal Noor Zaman
 Date
 Field Technical Engineer
 Pharamniaga Logistics Sdn. Bhd.

**PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)**

FACILITY : **KK TANJUNG KARANG** DEPT : **OUTPATIENT PHARMACY** LOCATION : **SELANGOR** STATE : **SELANGOR** ZONE : **9**

PAT ID : **CPS/SEL-05/KKS-05/PCD-001** DEPT : **OUTPATIENT PHARMACY** LOCATION : **SELANGOR** STATE : **SELANGOR** ZONE : **9**

S/N CPU : **PC071D74** MONITOR : **V9018631** KEYBOARD : **0003120** MOUSE : **5G345E3274B**

Location : Screening, Verification, Labelling & Dispensing
 Unlocated Relocated

PART I - STANDARD TASK N/A

All Device:
 Cleaning **Verify Condition :**
 Connection via LAN / USB **Alert** **Ticket No**
 Fan/ Power Supply/ Charger **Free** **Alert** **Ticket No**
 Desktop/Notebook/TAB: Yes No N/A
 * Device is harden
 MEMORY : 2 GB
 4 GB

PART II - STANDARD HEALTH CHECK N/A

Function	Not Function & Resolved	Not Function & Unresolved	Alert	Ticket No
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Used	Free			
161	78-4			
76.1	136			

Verify Condition :
 Connection via LAN / USB **Alert** **Ticket No**
 Fan/ Power Supply/ Charger **Free** **Alert** **Ticket No**
 Hard Disk Utilization (GB) :
 1st Partition
 2nd Partition
 Storage (TAB only)

PART III - STANDARD SETUP N/A

Function	Not Function & Resolved	Not Function & Resolved	Current Version	Updated Version
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Auto update disabled:
 (a) Java (JDK 6 update 30)
 (b) Internet Explorer 9 (64bits)
 ClamAV - Ver 0.99.1
 Microsoft Office
 BCP (BCP PC only)
 Backup PC (Bacula Web)
 IOS Version - TAB only

PAT ID : **CPS/SEL-05/KKS-05/PCD-002** DEPT : **OUTPATIENT PHARMACY** LOCATION : **SELANGOR** STATE : **SELANGOR** ZONE : **9**

S/N CPU : **PC071D77** MONITOR : **V901W7MA** KEYBOARD : **0003119** MOUSE : **5G345E3253B**

Location : Screening, Verification, Labelling & Dispensing
 Unlocated Relocated

PART I - STANDARD TASK N/A

All Device:
 Cleaning **Verify Condition :**
 Connection via LAN / USB **Alert** **Ticket No**
 Fan/ Power Supply/ Charger **Free** **Alert** **Ticket No**
 Desktop/Notebook/TAB: Yes No N/A
 * Device is harden
 MEMORY : 2 GB
 4 GB

PART II - STANDARD HEALTH CHECK N/A

Function	Not Function & Resolved	Not Function & Unresolved	Alert	Ticket No
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Used	Free			
129	110			
75.6	136			

Verify Condition :
 Connection via LAN / USB **Alert** **Ticket No**
 Fan/ Power Supply/ Charger **Free** **Alert** **Ticket No**
 Hard Disk Utilization (GB) :
 1st Partition
 2nd Partition
 Storage (TAB only)

PART III - STANDARD SETUP N/A

Function	Not Function & Resolved	Not Function & Resolved	Current Version	Updated Version
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Auto update disabled:
 (a) Java (JDK 6 update 30)
 (b) Internet Explorer 9 (64bits)
 ClamAV - Ver 0.99.1
 Microsoft Office
 BCP (BCP PC only)
 Backup PC (Bacula Web)
 IOS Version - TAB only

PAT ID : **CPS/SEL-05/KKS-05/LIP-001** DEPT : **OUTPATIENT PHARMACY** LOCATION : **SELANGOR** STATE : **SELANGOR** ZONE : **9**

S/N CPU : **451457LM2GLXC** MONITOR : **V901W7MA** KEYBOARD : **0003119** MOUSE : **5G345E3253B**

Location : Screening, Verification, Labelling & Dispensing
 Unlocated Relocated

PART I - STANDARD TASK N/A

All Device:
 Cleaning **Verify Condition :**
 Connection via LAN / USB **Alert** **Ticket No**
 Fan/ Power Supply/ Charger **Free** **Alert** **Ticket No**
 Desktop/Notebook/TAB: Yes No N/A
 * Device is harden
 MEMORY : 2 GB
 4 GB

PART II - STANDARD HEALTH CHECK N/A

Function	Not Function & Resolved	Not Function & Unresolved	Alert	Ticket No
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Used	Free			

Verify Condition :
 Connection via LAN / USB **Alert** **Ticket No**
 Fan/ Power Supply/ Charger **Free** **Alert** **Ticket No**
 Hard Disk Utilization (GB) :
 1st Partition
 2nd Partition
 Storage (TAB only)

PART III - STANDARD SETUP N/A

Function	Not Function & Resolved	Not Function & Resolved	Current Version	Updated Version
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Auto update disabled:
 (a) Java (JDK 6 update 30)
 (b) Internet Explorer 9 (64bits)
 ClamAV - Ver 0.99.1
 Microsoft Office
 BCP (BCP PC only)
 Backup PC (Bacula Web)
 IOS Version - TAB only

NOTE: Device is harden = "Yes", task complete. If="No", Inform IT / Facility Representative

**PREVENTIVE MAINTENANCE CHECKLIST
(DEVICE)**

FACILITY :	DEPT :	LOCATION :	STATE :	ZONE :																												
PAT ID :	DESKTOP / NOTEBOOK / LASERJET / THP / BSW / BSM / MYKAD / TAB		Location :	Screening, Verification, Labelling & Dispensing																												
S/N CPU :	MONITOR :	KEYBOARD :	MOUSE :	Relocated <input type="checkbox"/>																												
<p>PART I - STANDARD TASK</p> <p>All Device: <input checked="" type="checkbox"/> Cleaning</p> <p>Desktop/Notebook/TAB: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/></p> <p>* Device is harden <input type="checkbox"/> 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/></p> <p>MEMORY : <input type="checkbox"/> 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/></p>																																
<p>PART II - STANDARD HEALTH CHECK</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Function</th> <th>Not Function & Resolved</th> <th>Alert</th> <th>Ticket No</th> </tr> </thead> <tbody> <tr> <td>Verify Condition : Connection via LAN / USB</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Fan/ Power Supply/ Charger</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Hard Disk Utilization (GB):</td> <td>Free <input type="checkbox"/></td> <td>Alert <input type="checkbox"/></td> <td>Ticket No <input type="checkbox"/></td> </tr> <tr> <td>1st Partition</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>2nd Partition</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Storage (TAB only)</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>					Function	Not Function & Resolved	Alert	Ticket No	Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fan/ Power Supply/ Charger	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hard Disk Utilization (GB):	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No <input type="checkbox"/>	1st Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2nd Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Storage (TAB only)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Function	Not Function & Resolved	Alert	Ticket No																													
Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Fan/ Power Supply/ Charger	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Hard Disk Utilization (GB):	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No <input type="checkbox"/>																													
1st Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
2nd Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Storage (TAB only)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
<p>PART III - STANDARD SETUP</p> <p>Verification: <input type="checkbox"/> IWP <input type="checkbox"/> KYM <input type="checkbox"/> PhS Portal</p> <p>Auto update disabled: (a) Java (JKD 6 update 30) <input type="checkbox"/> (b) Internet Explorer 9 (64bits) <input type="checkbox"/> ClamAv - Ver 0.99.1 <input type="checkbox"/> Microsoft Office <input type="checkbox"/> BCP (BCP PC only) <input type="checkbox"/> Backup PC (Bacula Web) <input type="checkbox"/> IOS Version - TAB only <input type="checkbox"/></p>																																
<p>PAT ID : _____</p> <p>S/N CPU : _____</p> <p>MONITOR : _____</p> <p>KEYBOARD : _____</p> <p>MOUSE : _____</p>																																
<p>PART I - STANDARD TASK</p> <p>All Device: <input type="checkbox"/> Cleaning</p> <p>Desktop/Notebook/TAB: Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/></p> <p>* Device is harden <input type="checkbox"/> 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/></p> <p>MEMORY : <input type="checkbox"/> 2 GB <input type="checkbox"/> 4 GB <input type="checkbox"/></p>																																
<p>PART II - STANDARD HEALTH CHECK</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Function</th> <th>Not Function & Resolved</th> <th>Alert</th> <th>Ticket No</th> </tr> </thead> <tbody> <tr> <td>Verify Condition : Connection via LAN / USB</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Fan/ Power Supply/ Charger</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Hard Disk Utilization (GB):</td> <td>Free <input type="checkbox"/></td> <td>Alert <input type="checkbox"/></td> <td>Ticket No <input type="checkbox"/></td> </tr> <tr> <td>1st Partition</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>2nd Partition</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Storage (TAB only)</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>					Function	Not Function & Resolved	Alert	Ticket No	Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fan/ Power Supply/ Charger	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hard Disk Utilization (GB):	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No <input type="checkbox"/>	1st Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2nd Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Storage (TAB only)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Function	Not Function & Resolved	Alert	Ticket No																													
Verify Condition : Connection via LAN / USB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Fan/ Power Supply/ Charger	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Hard Disk Utilization (GB):	Free <input type="checkbox"/>	Alert <input type="checkbox"/>	Ticket No <input type="checkbox"/>																													
1st Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
2nd Partition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Storage (TAB only)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
<p>PART III - STANDARD SETUP</p> <p>Verification: <input type="checkbox"/> IWP <input type="checkbox"/> KYM <input type="checkbox"/> PhS Portal</p> <p>Auto update disabled: (a) Java (JKD 6 update 30) <input type="checkbox"/> (b) Internet Explorer 9 (64bits) <input type="checkbox"/> ClamAv - Ver 0.99.1 <input type="checkbox"/> Microsoft Office <input type="checkbox"/> BCP (BCP PC only) <input type="checkbox"/> Backup PC (Bacula Web) <input type="checkbox"/> IOS Version - TAB only <input type="checkbox"/></p>																																
<p>PAT ID : _____</p> <p>S/N CPU : _____</p> <p>MONITOR : _____</p> <p>KEYBOARD : _____</p> <p>MOUSE : _____</p>																																
<p>PART IV - FINDINGS / ALERTS / DETECTION</p>																																
<p>PART V - ACKNOWLEDGEMENT</p> <table style="width:100%;"> <tr> <td style="width:50%;"> Signature & Stamp CUSTOMER MAYTHYAIL PERI CHA PEN. PEG FARMASI U29 KK TANJONG KARANG </td> <td style="width:50%; text-align: right;"> Signature & Stamp Engineer Name Date </td> </tr> <tr> <td style="text-align: center;">  27/4/10 </td> <td style="text-align: center;">  Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd. </td> </tr> </table>					Signature & Stamp CUSTOMER MAYTHYAIL PERI CHA PEN. PEG FARMASI U29 KK TANJONG KARANG	Signature & Stamp Engineer Name Date	 27/4/10	 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.																								
Signature & Stamp CUSTOMER MAYTHYAIL PERI CHA PEN. PEG FARMASI U29 KK TANJONG KARANG	Signature & Stamp Engineer Name Date																															
 27/4/10	 Ahmad Heiqal Noor Zaman Field Technical Engineer Pharmaniaga Logistics Sdn. Bhd.																															



Appendix C

Hardware Inventory List



PHIS & CPS PROJECT

Hardware Inventory List

List of equipment available in the facility as per below table:

1. PCD

No	CPU	MONITOR	KEYBOARD	MOUSE	ASSET TAGGING	DEPARTMENT	LOCATION
1	PC071D74	V9018631	0003120	5G345E3274B	CPS/SEL-05/KKS-05/PCD-001	Outpatient Pharmacy	Screening, Verification, Labelling & Dispensing
2	PC071D77	V901W7MA	0003119	5G345E3253B	CPS/SEL-05/KKS-05/PCD-002	Outpatient Pharmacy	Screening, Verification, Labelling & Dispensing

2. LASERJET PRINTER

No.	LP	ASSET TAGGING	DEPARTMENT	LOCATION
1	451457LM2GLXC	CPS/SEL-05/KKS-05/LJP-001	Outpatient Pharmacy	Screening, Verification, Labelling & Dispensing

3. SERVER

No.	SERVER S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	06FZMNA	CPS/SEL-05/KKS-05/SVR-001	IT	Screening, Verification, Labelling & Dispensing

4. UPS

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	1523803191AF413	CPS/SEL-05/KKS-05/UPS-001	IT	Screening, Verification, Labelling & Dispensing

5. THERMAL PRINTER

No.	UPS S/N	ASSET TAGGING	DEPARTMENT	LOCATION
1	2305P002147	CPS/SEL-05/KKS-05/THP-001	Outpatient Pharmacy	Screening, Verification, Labelling & Dispensing