







Summary of Ticket Number and Request for Ward Pharmacy (CP2)


| No. | Ticket # | Description | Requests | Solution |
|-----|------------------|--|---|---|
| 1. | I-PhIS018578317S | Ward Pharmacy Screen | At the header each screen to rename : CP2 – Pharmacotherapy Review (CP2) C&S – Culture & Sensitivity | <p>Ward Pharmacy Listing :</p> <ol style="list-style-type: none"> To add filtering and new column for 'Created By' for CP1 and to auto save CP2 when save CP1 (allow to record cp1 without cp2) Allow to filter and display record even CP2 is No Allow to do update 5 days after discharged date (backdated) <p>Ward Pharmacy Screen :</p> <ol style="list-style-type: none"> At the header each screen to rename "CP2" to "Pharmacotherapy Review (CP2)" To add hyperlink medication counselling at Ward Pharmacy (CP2) To allow record daily review & C&S without CP2 To allow update diagnosis at patient banner same function as in Dispensing screen. (Apply to MTAC also) Rename 'Transcribe by' to 'Created by' at section below patient banner <p>Daily Review :</p> <ol style="list-style-type: none"> Pharmacist Note - To display record same as entry format. (Paragraph and spacing) <p>Vital Sign :</p> <ol style="list-style-type: none"> To add new column for PAIN SCORE in Vital Sign screen |
| 2. | I-PhIS019291517S | Ward Pharmacy - Request system capture the latest previous medication by admission, not by visit | Situation: Patient discharge and refer medication at klinik pakar. After that, patient need to come to admit under medical and dr add drug. While admit patient need to refer surgical. When patient refer surgical phis not detect active drug when user refer medication at klinik pakar at CP1. It only detect drug when dr add drug only | |
| 3. | I-PhIS021652517S | Ward Pharmacy (CP2)- Created By field not updated | En.Nasri reported , his colleague was created CP2 for MRN patient below. For the 1st Created By capture name Ummu Syahirah , the field Created By changes to Nasri after he edit the record (2nd changed). However when third time made a changed by Ummu Syahirah the Created By still remain En.Nasri names. | |
| 4. | I-PhIS021600917S | Ward Pharmacy - CP2 - Request allow to filter by "Created by" | User request allow filtering by "Created by" in ward pharmacy screen. | |
| 5. | I-PhIS021636217S | Ward Pharmacy Registry - Request allow to filter "Done by" | User request allow to filter "Done by" even CP2 = No. Current practice at facility, user only proceed with CP1. | |
| 6. | I-PhIS019830417S | request to re edit data patient after user discharge patient | Cik Sivakami from inpatient pharmacy (clinical unit)request to re edit data patient after user discharge patient as user inform currently pharmacist from inpatient pharmacy or discharge pharmacy have access right to discharge patient , when user need to re edit drug for the selected discharge patient user unable to re edit. so user requesting to enable user to enable editing data retrospectively for different discharge day | |
| 7. | I-PhIS032529118S | Pharmacist Note - To display record same as entry format | On Pharmacist Note: Format display - can tally in the same format of entry? (now all the infor is in 1 paragraph even entry in point form) | |
| 8. | I-PhIS023105118S | Ward Pharmacy(CP2) - Request to add pin scoree for patient | User request to add new column PIN SCORE field . This is due user claim for Vital Sign 5 need to attached with PIN Score as advice by MOH. Refer file upload. | |
| 9. | I-PhIS017990317S | CP2 Lab Values - Unable to key in Creatinine Clearance if not fill the weight and height column | User reported that when she wants to keyn in values for creatinine clearance, she unable to keyn in the data if weight and height is not key in. As user inform, the Creatinine Clearence do not need | |




| No. | Ticket # | Description | Requests | Solution |
|-----|------------------|---|--|---|
| | | | height values for calculation. | Lab Parameter: 1) To remove mandatory field height&weight in lab parameter 2) Rename Lab Parameter to Monitoring Parameter |
| 10. | I-PhIS018578217S | Rename Lab Parameter to Monitoring Parameter | Rename Lab Parameter to Monitoring Parameter | |
| 11. | I-PhIS021585517S | Lab Parameter - Request to remove height and weight patient | User request to remove height and weight patient for Cr/CL(ml/min) on BUSE/ RP. This request due to when user key in result and click on other normal range, system will prompt message "INFO0476: Please enter height and weight for patient" | |
| 12. | I-PhIS021490417S | Ward Pharmacy(Lab Parameter) - Request not mandatory for height & weight | Puan Hasanah request not mandatory for height & weight. Reason : Not all patients have detail for weight & height. When SrCr (umol/L) result abnormal, then only pharmacist need weight & height for the calculation. | |
| 13. | I-PhIS021214917S | Ward Pharmacy Registry - Record details "done by" include person that did CP1, CP2 and CP2 (edit) | User request for report can view who did CP1, CP2 and CP2 (edit or update CP2). Reason user want request due to if user did for CP1, his name will disappear after another user did CP2. User also cannot trace his name on that report. | |
| 14. | I-PhIS043703118S | Request to add hyperlink medication counselling at Ward Pharmacy (CP2) | User request to add hyperlink medication counselling at Ward Pharmacy (CP2) to as user inform when user enter report at CP2, some patient user will do medication counselling. user feel user perform more work to exit screen CP2 and enter to medication counselling reporting to enter the report | |
| 15. | I-PhIS044333718S | Ward Pharmacy, user want to add hyperlink to medication counselling reporting . User no need to closed CP2, and can direct link to medication counselling reporting | Ward Pharmacy (CP2) - Request to add hyperlink to view medication counselling reporting To reduce time to access the Medication counselling reporting. | |
| 16. | I-PhIS033643218S | User request to add Medication Counselling button on medication reporting screen and when user click on the button, system will link to medication counselling module | En Nasri request for a button to be created at the left side for medication counselling together with other existing button such as CP1, Cp2, Daily review, Vital sign, I/O chart etc | |
| 17. | I-PhIS040343218S | User request able to key in daily | To allow record daily review & C&S without CP2 | |

| No. | Ticket # | Description | Requests | Solution |
|-----|------------------|--|---|----------|
| | | review and C&S without need to complete CP2 first. Current Situation: User unable to key in daily review and C&S without complete CP2 first | Rules Chief complaint need to be enter then only will count as CP2 | |
| 18. | I-PhIS044367818S | User request to add Patient Diagnosis field (similar function at Record Prescription screen. May refer to file upload). This function is required for clinical review from pharmacist. | To add diagnosis field in CP2 (ward pharmacy). Currently we need to open 'Record Prescription' screen to record the diagnosis. | |
| 19. | I-PhIS044510618S | To allow updating diagnosis at patient banner same function as in Dispensing screen. Apply to MTAC also | User request to add button patient diagnosis in ward pharmacy. User request patient diagnosis been link with Record Prescription. Reason: Pharmacist also needs to fill in patient diagnosis, it is quite inconvenient if need to go back to record prescription to fill in patient diagnosis | |
| 20. | I-PhIS041343118S | "User request to add Patient Diagnosis in Ward Pharmacy screen. | Allow to update diagnosis at patient banner same function as in Dispensing screen. Apply to MTAC MC also | |
| 21. | I-PhIS037925118S | User request to change name for transcribe by to create by at screen ward pharmacy CP 2 and CP1. Due to currently system show who login the system. | Currently in this page it only shows the name of current person logging in, as 'transcribe by'. So, we are requesting that the name on this page should be the name of the person who first create the CP2, hence 'created by' | |




| Function Flow | Ward Pharmacy (CP2) Screen in current Version 2.0 | Ward Pharmacy (CP2) Screen in new Version 2.2 |
|---|--|--|
| <p>1. Ward Pharmacy Listing Screen</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Listing Screen</p> <p>Current Ward Pharmacy Listing Screen as below:</p> <p>1) No filtering column for 'Created By' for CP1</p>  <p>2) Currently cannot update record after patient has been discharged</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Listing Screen</p> <p>New Ward Pharmacy Listing Screen as below:</p> <p>1) Added 'Created By' column for CP1</p> <ul style="list-style-type: none"> i- Search 'CP1 Created By' name to filter CP2 record based on CP1 Created By name and click on "Search" button ii- CP2 Listing screen will display record based on 'CP1 Created By' name  <p>2) Allow to do update 5 days after discharged date (backdated)</p> <p>Step to update record :</p> <ul style="list-style-type: none"> i. Filter record by 'Discharged Date' (Select date which within 5 days after patient discharged) ii. Double click on the record to start with ward pharmacy recording iii. Save CP2 record |



| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|---------------------------------------|---|--|
| <p>2. Ward Pharmacy Screen</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen → CP2</p> <p>1) To rename "CP2" to "Pharmacotherapy Review (CP2)"</p>  <p>2) Current Ward Pharmacy Screen, there is No link to access Medication Counselling Screen, user need to close current screen and open Medication Counselling from main menu</p>  | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen → CP2</p> <p>1) Renamed "CP2" to "Pharmacotherapy Review (CP2)"</p>  <p>2) New Ward Pharmacy screen, added menu link to access medication counselling at Ward Pharmacy (CP2) menu bar</p>  |



| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|---------------|---|---|
| | | <ul style="list-style-type: none"> - Click on the menu will display new medication order screen as below  <ul style="list-style-type: none"> - Fill all the required information and click on 'Save' button, shall display button to proceed for reporting Proceed To Reporting and button to place for Add New Order - Click on "Proceed To Reporting" button, shall open medication counselling reporting screen - Click on "Add New order" button, shall open new medication counselling order screen |



| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|--|---|--|
| <p>3. Ward Pharmacy Screen – Autosave CP2</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen</p> <p>Current Ward Pharmacy Screen, user need to edit/ save CP2 first than only can update Daily Review and C&S screen</p> <p>If no CP2 recorded, Daily Review and C&S add new button will be dimmed/disabled as below:</p> <p>Daily Review</p>  | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen</p> <p>New Ward Pharmacy screen, user is allowed to update Daily Review and C&S screen without need to update the CP2 screen first</p> <p>Daily Review</p>  <p>Button Daily Review is enable and can enter new record</p>  |

| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|---------------|---|--|
| | <p>Culture & Sensitivity</p> | <p>Culture & Sensitivity</p> <p>- Button C&S is enable and can enter new record</p> <p>Note: Upon save the Daily Review and C&S screen, CP2 will be autosaved and count in report PF6.3 a and ward pharmacy registry</p> |

| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|--|---|---|
| <p>4. Ward Pharmacy Screen – Update Diagnosis</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen</p> <p>Current Ward Pharmacy Screen, diagnosis section at patient banner is for view only</p>  | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen</p> <p>New Ward Pharmacy screen, user is allowed to update diagnosis as below:</p>  <p>Click on  button to add new Diagnosis, system will open screen Add Diagnosis as below:</p>  <p>Fill in the record and click on save button, record will be added in the Diagnosis listing</p>  |



| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|--|--|---|
| <p>5. Ward Pharmacy Transcribe By</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen</p> <p>Current Ward Pharmacy Screen, there are field name 'Transcribe by' provided at section below patient banner</p>  | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen</p> <p>Renamed 'Transcribe by' to 'Created by' at section below patient banner</p>  |



| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|---|--|---|
| <p>6. Ward Pharmacy – Vital Sign</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen → Vital Sign</p> <p>1) Vital Sign - To add new column for PAIN SCORE in Vital Sign screen</p>  | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen → Vital Sign</p> <p>1) Vital Sign - To add new column for PAIN SCORE in Vital Sign screen</p>  |

| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Pharmacy Screen in new Version 2.2 |
|--|--|---|
| <p>7. Ward Pharmacy – Lab Parameter</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen → Lab Parameter</p> <p>Lab Parameter:</p> <ul style="list-style-type: none"> - To remove mandatory field height&weight in lab parameter - Rename Lab Parameter to Monitoring Parameter  | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Screen → Lab Parameter</p> <p>Lab Parameter:</p> <ul style="list-style-type: none"> - Removed mandatory field height&weight in lab parameter <ul style="list-style-type: none"> - For calculation in field 'CrCl' if there is no height & weight should allow user to type in the result - If there is height& weight available then should auto calculate the result - Renamed Lab Parameter to Monitoring Parameter  |

Summary of Ticket Number and Request for PCI


| No. | Ticket # | Description | Requests | Solution |
|-----|------------------|--|--|---|
| 1. | I-PhISO26607118S | MTAC Reporting - Request remove mandatory for field Status of Intervention * | Cik Asmirah request for " Status of Intervention * " can be change to not mandatory or provide NA. This is due some work process not direct to Doctor. | 1) To add NA at 'Status of Intervention*' <i>Changes apply to PCI at MTAC WP and Mobile</i> 2) Add alert message before close Pharmaceutical Care Issue 3) To add PCI in Ward Pharmacy Registry and Clinical Summary |
| 2. | I-PhISO26611218S | MTAC Reporting - Outcome Column not appear at Report | Cik Asmirah reported she had complete for Pharmaceutical Care Issue and key in Outcome Field. However when print the report the Outcome Field was not appear at printed report. | |
| 3. | I-PhISO20867017S | Ward Pharmacy (CP2) - Add alert message before close Pharmaceutical Care Issue | User request to have alert message before close Pharmaceutical Care Issue. User request that alert message because after user done update record user forgot to save and user just close the window. The record updated not save and user need to do again. | |
| 4. | I-PhISO21148717S | Pharmaceutical Care Issue - Request to appear record in separate screen | Encik Andrew request to appear record in screen report ward pharmacy registry, patient management and clinical summary. | |

| Function Flow | PCI Screen in current Version 2.0 | PCI Screen in new Version 2.2 |
|-----------------------------|--|--|
| <p>1. PCI Screen</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy → PCI</p> <p>1) Current PCI screen No 'Not Available' at 'Status of Intervention*' field</p> <p>Status of Intervention *</p> <p><input checked="" type="radio"/> Accepted</p> <p><input type="radio"/> Not Accepted</p> <p>2) Currently, No alert message appear before close Pharmaceutical Care Issue screen, and data entered will be discard</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy → PCI</p> <p>1) Added 'Not Available' at 'Status of Intervention*' field</p> <p>Status of Intervention</p>  <p><i>Note: Changes apply to PCI at MTAC WP and Mobile</i></p> <p>2) Added alert message before close Pharmaceutical Care Issue screen</p> <p>Step:</p> <ul style="list-style-type: none"> - Click on PCI button - Fill in all the required information - Click on Add/Update button - Click on close button - Message alert shall appear as below  <ul style="list-style-type: none"> • Click Cancel to remain on the current screen • Click on Yes, save the record and close the screen • Click on No, Close the screen without Save the record <p><i>Note: This alert message will only appear if user has edit/ key in any record in PCI screen. If Not, user can switch to other screen without need to have any alert message.</i></p> |

| Function Flow | PCI Screen in current Version 2.0 | PCI Screen in new Version 2.2 |
|---------------|--|--|
| | <p>3) Currently No PCI information at Ward Pharmacy Registry and Clinical Summary Screen</p> | <p>3) Added PCI in Ward Pharmacy Registry and Clinical Summary</p> <p>Ward Pharmacy Registry screen</p>  <p>Clinical Summary Screen</p>  <p>- Click on PCI hyperlink to view in details</p> |


Summary of Ticket Number and Request for Ward Pharmacy Report printing



| No. | Ticket # | Description | Requests | Solution |
|-----|------------------|--|--|--|
| 1. | I-PHIS018785517S | Request changes in CP2: Pharmacotherapy Review Report | User request to make changes at CP2: Pharmacotherapy Review Report. 1) Add Co morbidity 2) Add Surgical history 3) Shrink 'Description'column - Pharmacist Intervention 4) Add 'Pharmacist Recommendation' column at Pharmacist Intervention | 1) To display : i- PMHx ii- 'Pharmacist Recommendation' column at Pharmacist Intervention iii- Daily review 2) Shrink 'Description' column - Pharmacist Intervention |
| 2. | I-PHIS018862917S | Ward Pharmacy - Daily Case Review can't be view in CP2 | Daily Case Review can't be view in CP2. Any daily case review is also not counted in report. Case Review is one of JKN Sabah requirement | |
| 3. | I-PHIS021191517S | Medical History column not appear when preview | User reported medical history column not appear when print preview. User claimed she has insert the Co-Morbidity but not appear. | |
| 4. | I-PHIS021191617S | Ward Pharmacy (CP1) - PMHx not appear when preview | User reported she has insert the column in PMHx but when print preview, all the notes not appear. | |

| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Screen in new Version 2.2 | | | | | | | | | | | | | | | | |
|---|---|--|------------------------------|----------------------|----------------------------------|---------------------|------------------------|---------------|-----------------------------------|-----------------------------|--|-------------|-----------------------------|--|------|-----------|------------|-----------------|
| <p>1. Ward Pharmacy Report Printing Screen</p> | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Report Printing Screen</p> <p>Current Ward Pharmacy printing screen does not captured information as below:</p> <ul style="list-style-type: none"> i- PMHx ii- 'Pharmacist Recommendation' column at Pharmacist Intervention iii- Daily review | <p>Pharmacy Transaction → Clinical → Ward Pharmacy Report Printing Screen</p> <p>New Ward pharmacy printing screen has been added information as below:</p> <ul style="list-style-type: none"> i- PMHx ii- 'Pharmacist Recommendation' column at Pharmacist Intervention iii- Daily review <div style="border: 1px solid black; padding: 5px;">  <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">PATIENT NAME : YXX XXXX XXXX</td> <td style="width: 33%;">IC NO : 810102140869</td> <td style="width: 33%;">AGE : 38 Years 02 Months 25 Days</td> </tr> <tr> <td>MRN NO : HKL0001668</td> <td>WEIGHT/HEIGHT : kg/ cm</td> <td>GENDER : Male</td> </tr> <tr> <td>WARD/BED : Farmasi Pesakit Dalam/</td> <td colspan="2">ADMISSION DATE : 06/03/2019</td> </tr> <tr> <td>PMHx : Test</td> <td colspan="2">REASON FOR ADMISSION : test</td> </tr> </table> <p>ALLERGIES : No Known Allergies</p> <p>ADVERSE DRUG REACTION :</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Date</th> <th>Drug Name</th> </tr> </thead> <tbody> <tr> <td>11/03/2019</td> <td>sasaassasasassa</td> </tr> </tbody> </table> <p>DIAGNOSIS : None</p> <p>CHIEF COMPLAINT :</p> </div> | PATIENT NAME : YXX XXXX XXXX | IC NO : 810102140869 | AGE : 38 Years 02 Months 25 Days | MRN NO : HKL0001668 | WEIGHT/HEIGHT : kg/ cm | GENDER : Male | WARD/BED : Farmasi Pesakit Dalam/ | ADMISSION DATE : 06/03/2019 | | PMHx : Test | REASON FOR ADMISSION : test | | Date | Drug Name | 11/03/2019 | sasaassasasassa |
| PATIENT NAME : YXX XXXX XXXX | IC NO : 810102140869 | AGE : 38 Years 02 Months 25 Days | | | | | | | | | | | | | | | | |
| MRN NO : HKL0001668 | WEIGHT/HEIGHT : kg/ cm | GENDER : Male | | | | | | | | | | | | | | | | |
| WARD/BED : Farmasi Pesakit Dalam/ | ADMISSION DATE : 06/03/2019 | | | | | | | | | | | | | | | | | |
| PMHx : Test | REASON FOR ADMISSION : test | | | | | | | | | | | | | | | | | |
| Date | Drug Name | | | | | | | | | | | | | | | | | |
| 11/03/2019 | sasaassasasassa | | | | | | | | | | | | | | | | | |


| Function Flow | Ward Pharmacy Screen in current Version 2.0 | Ward Screen in new Version 2.2 | | | | | | | | | | | | | | | | | | | | |
|---------------|---|--|---|---|---|-----|---------------------------|---------|------------|--------------------------|------|---|---|---|------|--------------|------------|---|------|-------|------------|---|
| | | <div data-bbox="1115 268 2011 708"> <p>PHARMACIST INTERVENTION</p> <table border="1"> <thead> <tr> <th>DATE</th> <th>INTERVENTION</th> <th>DESCRIPTION</th> <th>PCI</th> <th>PHARMACIST RECOMMENDATION</th> <th>OUTCOME</th> </tr> </thead> <tbody> <tr> <td>12/12/2018</td> <td>Incomplete Prescriptions</td> <td>Drug</td> <td>PCI Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100</td> <td>PCI Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100</td> <td>Outcome Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100</td> </tr> </tbody> </table> <p>DAILY REVIEW</p> <table border="1"> <thead> <tr> <th>DATE</th> <th>DAILY REVIEW</th> </tr> </thead> <tbody> <tr> <td>12/12/2018</td> <td>Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100</td> </tr> </tbody> </table> <p>PHARMACIST NOTES</p> <table border="1"> <thead> <tr> <th>DATE</th> <th>NOTES</th> </tr> </thead> <tbody> <tr> <td>12/12/2018</td> <td> Pharmacist note: 1) Medical Hx (if newly recruit): N/A 2) Allergy (if newly recruit): N/A 3) SMBG (30/5/18-16/6/18): Pre-b/f: 7.8/8.9/8.7/7.5 Pre-L:12.8/12.5/12.0/11.6 Pre -D:13.1/14.0/12.8/12.5 IV genta 14 mg OD (4mg/kg/dose) started on 6/7/18 dose given at 12mn today 2nd dose at 12mn </td> </tr> </tbody> </table> </div> | DATE | INTERVENTION | DESCRIPTION | PCI | PHARMACIST RECOMMENDATION | OUTCOME | 12/12/2018 | Incomplete Prescriptions | Drug | PCI Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | PCI Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | Outcome Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | DATE | DAILY REVIEW | 12/12/2018 | Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | DATE | NOTES | 12/12/2018 | Pharmacist note: 1) Medical Hx (if newly recruit): N/A 2) Allergy (if newly recruit): N/A 3) SMBG (30/5/18-16/6/18): Pre-b/f: 7.8/8.9/8.7/7.5 Pre-L:12.8/12.5/12.0/11.6 Pre -D:13.1/14.0/12.8/12.5 IV genta 14 mg OD (4mg/kg/dose) started on 6/7/18 dose given at 12mn today 2nd dose at 12mn |
| DATE | INTERVENTION | DESCRIPTION | PCI | PHARMACIST RECOMMENDATION | OUTCOME | | | | | | | | | | | | | | | | | |
| 12/12/2018 | Incomplete Prescriptions | Drug | PCI Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | PCI Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | Outcome Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | | | | | | | | | | | | | | | | | |
| DATE | DAILY REVIEW | | | | | | | | | | | | | | | | | | | | | |
| 12/12/2018 | Lorem ipsum dolor sit amet, consectetur adipiscing elit. j ullam at rutrum sapien, porttitor facilii100 | | | | | | | | | | | | | | | | | | | | | |
| DATE | NOTES | | | | | | | | | | | | | | | | | | | | | |
| 12/12/2018 | Pharmacist note: 1) Medical Hx (if newly recruit): N/A 2) Allergy (if newly recruit): N/A 3) SMBG (30/5/18-16/6/18): Pre-b/f: 7.8/8.9/8.7/7.5 Pre-L:12.8/12.5/12.0/11.6 Pre -D:13.1/14.0/12.8/12.5 IV genta 14 mg OD (4mg/kg/dose) started on 6/7/18 dose given at 12mn today 2nd dose at 12mn | | | | | | | | | | | | | | | | | | | | | |



| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|---|---|--|
| <p>1) Ward Pharmacy Screen – Medication Counselling</p> | <p>Clinical → Ward Pharmacy</p> <p>Current Ward Pharmacy Screen, there is No link to access Medication Counselling Screen, user need to close current screen and open Medication Counselling from main menu</p>  | <p>Clinical → Ward Pharmacy</p> <p>New Ward Pharmacy screen, added menu link to access medication counselling at Ward Pharmacy (CP2) main menu</p>  <p>- Click on the menu will display new medication order screen</p> |


| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|---------------|--|--|
| | |  <ul style="list-style-type: none"> - Fill in all the required information and then tap on 'Save' button, shall appear button to proceed for reporting Proceed to Reporting and button Add New Order to place for New Order - Tap on "Proceed to Reporting", shall open medication counselling reporting screen - Tap on "Add New order", shall open new medication counselling order screen |



| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|--|---|--|
| <p>2) Ward Pharmacy Screen – Autosave CP2</p> | <p>Clinical → Ward Pharmacy → Daily Review / Culture & Sensitivity</p> <p>Current Ward Pharmacy Screen, user need to edit/ save CP2 first than only can update Daily Review and C&S screen</p> <p>If no CP2 recorded Daily Review and C&S add new button will be disabled as below:</p> <p>Daily Review</p>  | <p>Clinical → Ward Pharmacy → Daily Review / Culture & Sensitivity</p> <p>New Ward Pharmacy screen, user is allowed to update Daily Review and C&S screen without need to update the CP2 screen first</p> <p>Daily Review</p>  <ul style="list-style-type: none"> - Button 'Add Daily Review' is enable - Click on the button shall open Add Daily Review screen as the following |





| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|---------------|--|---|
| | |  |

| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|---------------|--|--|
| | <p>Culture & Sensitivity</p> <p>Current Ward Pharmacy Screen, user need to edit/ save CP2 first than only can update Daily Review and C&S screen</p> <p>If no CP2 recorded C&S add new button will be disabled as below:</p>  | <p>Culture & Sensitivity</p> <p>New Ward Pharmacy screen, user is allowed to update C&S screen without need to update the CP2 screen first</p>  <ul style="list-style-type: none"> - Button add C&S result is enabled - Click on the button shall open Add Culture & Sensitivity screen as the following |

| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|---------------|--|---|
| | |  <p>Note: Upon save the Daily Review and C&S screen, CP2 will be auto saved and count in report PF 6.3(a) and ward pharmacy registry.</p> |

| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 |
|--|---|--|
| <p>3) Ward Pharmacy Screen – Update Diagnosis</p> | <p>Clinical → Ward Pharmacy Screen</p> <p>Current Ward Pharmacy Screen, diagnosis section at patient banner is for view only</p>  | <p>Clinical → Ward Pharmacy Screen</p> <p>New Ward Pharmacy screen, user is allowed to update diagnosis as below:</p>  <p>Click on  button to add new Diagnosis, system will open screen Add Diagnosis as below:</p> |

| Function Flow | Ward Pharmacy Mobile Screen in current Version 2.1 | Ward Pharmacy Mobile Screen in new Version 2.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|-------------|---------------|-------------|--------|---------------|---------------------|------------|-------------|-----------|------|---------------------|-------------|--------------------|-----------|------|---------------------|--|-------------------|-----------|------|---------------------|------------|------------------------------------|-----------|------|---------------------|------------------|--------------------|-----------|------|---------------------|---|--------------------|-----------|------|---------------------|--------------|-----------------------------|-----------|------|---------------------|-----------|-------------------|-----------|------|---------------------|-----------|-------------------------------|-----------|------|---------------------|-----|------------------------|-----------|------|---------------------|---------|-------------------------|-----------|------|
| | | <div data-bbox="1205 256 2018 612">  </div> <p data-bbox="1205 628 2152 692">Fill in the record and click on save button, record will be added in the Diagnosis listing</p> <div data-bbox="1205 703 2074 1337">  <table border="1"> <thead> <tr> <th>Record Date</th> <th>Description</th> <th>Recorded By</th> <th>Status</th> <th>Encounter No.</th> </tr> </thead> <tbody> <tr style="border: 2px solid red;"> <td>07-08-2019 06:28 PM</td> <td>High fever</td> <td>System PHIS</td> <td>Confirmed</td> <td>0007</td> </tr> <tr> <td>07-03-2019 12:20 PM</td> <td>menorrhagia</td> <td>DR. TONG DUONG ANH</td> <td>Confirmed</td> <td>0502</td> </tr> <tr> <td>06-12-2018 01:32 PM</td> <td>gastritis (ogds:antral gastritis 8/3/18)</td> <td>DR. POH TING SIAN</td> <td>Confirmed</td> <td>0642</td> </tr> <tr> <td>21-11-2018 11:34 AM</td> <td>hemorrhoid</td> <td>DR. NUR ALYAN SYAHMI BINTI MUSTAPA</td> <td>Confirmed</td> <td>0649</td> </tr> <tr> <td>08-11-2018 12:20 PM</td> <td>prolonged menses</td> <td>DR. TONG DUONG ANH</td> <td>Confirmed</td> <td>0547</td> </tr> <tr> <td>13-09-2018 01:10 PM</td> <td>Gastritis, iron def anemia TRO MDD/anxiety disorder</td> <td>DR. CHANG MENG LEE</td> <td>Confirmed</td> <td>0734</td> </tr> <tr> <td>09-08-2018 12:39 PM</td> <td>constipation</td> <td>DR. ALMA BINTI ABDUL SHUKOR</td> <td>Confirmed</td> <td>0496</td> </tr> <tr> <td>27-06-2018 01:51 PM</td> <td>gastritis</td> <td>DR. LEW KOK LEONG</td> <td>Confirmed</td> <td>0734</td> </tr> <tr> <td>23-05-2018 11:40 AM</td> <td>gastritis</td> <td>DR. VASILEZHARY A/P MANSUPPAH</td> <td>Confirmed</td> <td>1674</td> </tr> <tr> <td>03-05-2018 01:13 PM</td> <td>ida</td> <td>DR. FARUQ BINTI YUSOFF</td> <td>Confirmed</td> <td>0575</td> </tr> <tr> <td>30-03-2018 10:37 AM</td> <td>gastric</td> <td>DR. SYADINA BINTI ABDUL</td> <td>Confirmed</td> <td>0218</td> </tr> </tbody> </table> </div> | Record Date | Description | Recorded By | Status | Encounter No. | 07-08-2019 06:28 PM | High fever | System PHIS | Confirmed | 0007 | 07-03-2019 12:20 PM | menorrhagia | DR. TONG DUONG ANH | Confirmed | 0502 | 06-12-2018 01:32 PM | gastritis (ogds:antral gastritis 8/3/18) | DR. POH TING SIAN | Confirmed | 0642 | 21-11-2018 11:34 AM | hemorrhoid | DR. NUR ALYAN SYAHMI BINTI MUSTAPA | Confirmed | 0649 | 08-11-2018 12:20 PM | prolonged menses | DR. TONG DUONG ANH | Confirmed | 0547 | 13-09-2018 01:10 PM | Gastritis, iron def anemia TRO MDD/anxiety disorder | DR. CHANG MENG LEE | Confirmed | 0734 | 09-08-2018 12:39 PM | constipation | DR. ALMA BINTI ABDUL SHUKOR | Confirmed | 0496 | 27-06-2018 01:51 PM | gastritis | DR. LEW KOK LEONG | Confirmed | 0734 | 23-05-2018 11:40 AM | gastritis | DR. VASILEZHARY A/P MANSUPPAH | Confirmed | 1674 | 03-05-2018 01:13 PM | ida | DR. FARUQ BINTI YUSOFF | Confirmed | 0575 | 30-03-2018 10:37 AM | gastric | DR. SYADINA BINTI ABDUL | Confirmed | 0218 |
| Record Date | Description | Recorded By | Status | Encounter No. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 07-08-2019 06:28 PM | High fever | System PHIS | Confirmed | 0007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 07-03-2019 12:20 PM | menorrhagia | DR. TONG DUONG ANH | Confirmed | 0502 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 06-12-2018 01:32 PM | gastritis (ogds:antral gastritis 8/3/18) | DR. POH TING SIAN | Confirmed | 0642 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21-11-2018 11:34 AM | hemorrhoid | DR. NUR ALYAN SYAHMI BINTI MUSTAPA | Confirmed | 0649 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 08-11-2018 12:20 PM | prolonged menses | DR. TONG DUONG ANH | Confirmed | 0547 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13-09-2018 01:10 PM | Gastritis, iron def anemia TRO MDD/anxiety disorder | DR. CHANG MENG LEE | Confirmed | 0734 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 09-08-2018 12:39 PM | constipation | DR. ALMA BINTI ABDUL SHUKOR | Confirmed | 0496 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27-06-2018 01:51 PM | gastritis | DR. LEW KOK LEONG | Confirmed | 0734 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23-05-2018 11:40 AM | gastritis | DR. VASILEZHARY A/P MANSUPPAH | Confirmed | 1674 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 03-05-2018 01:13 PM | ida | DR. FARUQ BINTI YUSOFF | Confirmed | 0575 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30-03-2018 10:37 AM | gastric | DR. SYADINA BINTI ABDUL | Confirmed | 0218 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |