









**Proposed Solution:**

| No. | Ticket # | Description | Summary of Changes | Proposed Solution |
|-----|------------------|--|---|---|
| 1. | I-PHIS010034315S | External Indent - Request changes on External Indent module (Partial Supply). Request supplying unit able to cater partial supply to the indenter. | Indent screen to be split into two (2) separate screens with each for “Intra Facility Indent”, and “Inter Facility Indent”. To allow selection based on “Preferred Items” besides the configured default items for “Inter Facility Indent”. | 1. To be split into two (2) separate screens with each for “Intra Facility Indent”, and “Inter Facility Indent”. 2. To allow selection based on “Preferred Items” besides the configured default items for “Inter Facility Indent”. |
| 2. | I-PHIS010284315S | Indent - Indent Inter Facility (button add item - screen Add Indent Item) Request to add column of Packaging description at 1. While search drug/non drug name 2. Packaging Description field) | External Indent to flow into RIQ and for Supplying Facility to be able to do Partial Supply (as in “Intra Facility Indent”). | 3. External Indent to flow into RIQ and for Supplying Facility to be able to do Partial Supply (as in “Intra Facility Indent”). 4. To update of Average Price for Drug/Non Drug at receiving facility, based on unit price of the items received during “Inter Facility Indent”. |
| 3. | I-PHIS012240615S | External Indent - Not able to compile all indent from other KK User cannot compile all indent from other KK and cannot see detail for all KKs. | Currently, this feature is only available for Klinik Kesihatan (KK) only, through the button of “ Download Request ”. This button is to be made available at other facilities other than KK as well. | |



| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|--|---|
| <p>1. Inter Facility Indent</p> | <p>AT REQUESTER:</p>  <p>Inter Facility Indent:</p> <ul style="list-style-type: none"> Go to Inventory -> Store Inventory -> Indent -> Indent In Indent screen, user can see radio button for both “Inter Facility Indent” and “Intra Facility Indent”. Click the “+” button to create new inter facility indent record. | <p>AT REQUESTER:</p>  <p>Inter Facility Indent:</p> <ul style="list-style-type: none"> Go to Inventory -> Store Inventory -> Indent -> Inter Facility Indent. As both Intra & Inter Facility Indent have a separate menu, in this screen user can see all Inter Facility Indent ONLY. The opened tab is also named “Inter Facility Indent”. As internal and external indent to be in separate menu, table under INTER FACILITY INDENT tab to display ONLY these columns: <ul style="list-style-type: none"> Indent No External Indent No. Indent Date Created By Indent’s Facility Item Group No. of Items Amount (RM) Indent Status Approval Status Send To Facility Status Click the “+” button to create new inter facility indent record. |




| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|--|--|
| <p>2. Inter Facility Indent</p> |  <p>New Inter Facility Indent:</p> <ul style="list-style-type: none"> For new inter facility indent, user can either choose to add item by: <ul style="list-style-type: none"> Using the RIL, or By adding item one by one using the “+ Add Item” button. User have to select the “Facility” and “Send Indent to (Facility)” before proceed with adding item. User choose to add item by clicking the “+ Add Item” button. |  <p>New Inter Facility Indent:</p> <ul style="list-style-type: none"> For new inter facility indent, user can either choose to add item by: <ul style="list-style-type: none"> Using the RIL, or By adding item one by one using the “+ Add Item” button. User choose to add item by clicking the “+ Add Item” button. Take note that there is a column name “Preferred Item” in this version for table of Add Indent List. |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|--|---|
| <p>3. Inter Facility Indent</p> |  <p>Add Indent Item screen:</p> <ul style="list-style-type: none"> User to select/fill this fields as: <ul style="list-style-type: none"> Drug Name: Acarbose 500mg Tablet, and Indent Quantity (SKU): 100 The item selected under this drug is based on “Default Item”. Save the Add Indent Item for this record. |  <p>Add Indent Item screen:</p> <ul style="list-style-type: none"> User to select/fill this fields as: <ul style="list-style-type: none"> Drug Name: Paracetamol 500 mg Tablet, Indent Quantity (SKU): 1000, and Preferred Item: Item Code = N02BE01000T1001-1 Compared to the previous version, besides the “Default Item”, user is able to choose their preferred item. Preferred Item listing is displayed together with: <ul style="list-style-type: none"> Item Description, Item Code, Packaging Description, and Item Status (Default: Y/N). Save the Add Indent Item for this record. |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|---|---|
| <p>4. Inter Facility Indent</p> |  <ul style="list-style-type: none"> ▪ After closing the Add Indent Item window, we will come back to the Indent window where the selected item is already added to the “Add Indent List” table. ▪ Save this indent record and it will be send for approval. |  <ul style="list-style-type: none"> ▪ After closing the Add Indent Item window, we will come back to the Indent window where the selected item is already added to the “Add Indent List” table. ▪ The column Preferred Item in Indent List will list the: <ul style="list-style-type: none"> - Item Name (Preferred Item Name), - Item Code, and - Package Description. ▪ User can still change the Preferred Item at this screen by clicking the “Item Name”. ▪ Save this indent record and it will be send for approval. |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|---|---|
| <p>5. Inter Facility Indent</p> | <p>After the indent is approved, the button for “Send to External Facility” will be displayed for user to send the indent to external facility.</p> | <p>After approved, the indent request will be as below. Note the “Preferred Item” column. To send indent request, user click “Send to External Facility”.</p> |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|---|---|
| <p>6. Inter Facility Indent</p> | <p>AT ISSUER:</p>  <ul style="list-style-type: none"> ▪ After Requester clicked the “Send to External Facility”, the indent will be available at Issuer side. ▪ To look at this indent, Issuer will go to Inventory -> Store Inventory -> Indent ▪ Issuer will then click the “Retrieve” button. A pop up window (as above) will display all inter facility indent received. User will select the indent and click the “Retrieve” button. | <p>AT ISSUER:</p>  <ul style="list-style-type: none"> ▪ After Requester clicked the “Send to External Facility”, the indent will be available at Issuer side. ▪ To look at this indent, Issuer will go to Inventory -> Store Inventory -> Inter Facility Indent ▪ Issuer will then click the “Retrieve” button. A pop up window (as above) will display all inter facility indent received. User will select the indent and click the “Retrieve” button. |



| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|---|---|
| <p>7. Inter Facility Indent</p> | <ul style="list-style-type: none"> The selected external indent will be displayed in indent listing with Indent Status as “Open” and Approval Status as “Pending for Approval”.  <ul style="list-style-type: none"> Select the external indent. User will be able to approve or reject the indent. User can also change the “Approved Quantity (SKU)”. For this example, user: <ol style="list-style-type: none"> Change the Approved Quantity from the default 100 (“Indent Quantity”) to 50, Approve the external indent. By approving the indent, information of indent is pushed to Issue screen. | <ul style="list-style-type: none"> The selected external indent will be displayed in indent listing with Indent Status as “Open” and Approval Status as “Pending for Approval”.  <ul style="list-style-type: none"> Select the external indent. User will be able to approve or reject the whole indent. For this example, user approve the external indent. By approving the indent, information of indent is pushed to Recommended Issue Quantity (External) screen.  <ul style="list-style-type: none"> The selected external indent is displayed in RIQ (External) as above. |







| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|--|--|--------------------|--------------------|---------------------|-----------|------------|---------------------|-----------------|--------------------|----------------------|--------------------|--------------------|----------------------|--------------------|--------------------------------|-------------------|----------|--------|------|-----------------|--------|------------|------------|-------|--------|---|------|--------------------------------|-------------------|----------|--------|------|-----------------|----------|------------|------------|-------|--------|---|------|--------------------------------|-------------------|----------|--------|------|-----------------|----------|------------|------------|-------|--------|---|------|--------------------------------|-------------------|----------|--------|------|-----------------|----------|------------|------------|-------|--------|---|------|--------------------------------|-------------------|----------|--------|------|-----------------|----------|----------|------------|-------|--------|---|------|--------------------------------|-------------------|----------|--------|------|-----------------|----------|------------|------------|-------|--------|---|------|--------------------------------|-------------------|----------|--------|------|-----------------|----------|------------|------------|-------|--------|---|------|----------------|--|--|--|--|--|--|--|--|--|--|---|--|
| | | <ul style="list-style-type: none"> ■ Below are the explanations for the numbered items: <ol style="list-style-type: none"> 1. “Indent Status = Open”. Since this will be the first supply, the indent status is currently deemed as Open. 2. Preferred Item. This is based on the preferred item selected by Requester. 3. “Recommended Issue = 2”. For this issue, this quantity is deemed as “Fully Supply” in “Supply Status” as this represents the whole quantity of “Indent Quantity” requested. 4. Under Issue History, Issuer can see issue history. There is no record for this example. ■ Issuer can edit the quantity to be supplied, as whether to give a full (2) or partial supply (less than 2, 1) by clicking “Edit” next to the value in “Recommended Issue” column. ■ The pop up (below) will be displayed and user can edit the quantity here. <div data-bbox="1205 810 2114 1149" style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>ISSUE QUANTITY</p> <p>Preferred Item Code: 02381005 Preferred Item Desc: Tamoxifen 20mg Tab</p> <table border="1"> <thead> <tr> <th>Drug/Non Drug Name</th> <th>Drug/Non Drug Code</th> <th>Item Code</th> <th>SKU</th> <th>PKU</th> <th>Packing Description</th> <th>Batch No.</th> <th>Brand Name</th> <th>Batch Expiry Date</th> <th>Stock Available</th> <th>Average Unit Price</th> <th>Issue Quantity (SKU)</th> <th>PKU Issue Quantity</th> </tr> </thead> <tbody> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>WVU005</td> <td>NOLVADEX-D</td> <td>28/07/2016</td> <td>1,500</td> <td>0.0000</td> <td style="border: 2px solid red;">1</td> <td>0.03</td> </tr> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>60009184</td> <td>NOLVADEX-D</td> <td>30/04/2018</td> <td>9,999</td> <td>0.4137</td> <td>0</td> <td>0.00</td> </tr> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>60010741</td> <td>NOLVADEX-D</td> <td>30/06/2018</td> <td>9,999</td> <td>0.4137</td> <td>0</td> <td>0.00</td> </tr> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>60010420</td> <td>NOLVADEX-D</td> <td>30/06/2018</td> <td>9,999</td> <td>0.4137</td> <td>0</td> <td>0.00</td> </tr> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>60011749</td> <td>NO BRAND</td> <td>01/09/2018</td> <td>9,999</td> <td>0.4137</td> <td>0</td> <td>0.00</td> </tr> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>60013188</td> <td>NOLVADEX-D</td> <td>02/01/2019</td> <td>9,999</td> <td>0.4137</td> <td>0</td> <td>0.00</td> </tr> <tr> <td>Tamoxifen Citrate 20 mg Tablet</td> <td>L02BA01136T1001XX</td> <td>02381005</td> <td>tablet</td> <td>pack</td> <td>Pack of 30 tabs</td> <td>60014214</td> <td>NOLVADEX-D</td> <td>30/04/2019</td> <td>9,999</td> <td>0.4137</td> <td>0</td> <td>0.00</td> </tr> <tr> <td colspan="11" style="text-align: right;">Total Quantity</td> <td>1</td> <td></td> </tr> </tbody> </table> </div> <ul style="list-style-type: none"> ■ Note that on top are two (2) fields which displayed “Preferred Item Code” and “Preferred Item Desc” for the item to be issued. ■ There exists seven (7) items of the same Item Code but with different Batch No for Issuer to choose. ■ Issuer can edit any row for “Issue Quantity (SKU)”. Save the edited quantity. ■ Close the pop up. Issuer will then “Approve” the RIQ (External). Once approved, the issue record will be pushed to Issue screen. | Drug/Non Drug Name | Drug/Non Drug Code | Item Code | SKU | PKU | Packing Description | Batch No. | Brand Name | Batch Expiry Date | Stock Available | Average Unit Price | Issue Quantity (SKU) | PKU Issue Quantity | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | WVU005 | NOLVADEX-D | 28/07/2016 | 1,500 | 0.0000 | 1 | 0.03 | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60009184 | NOLVADEX-D | 30/04/2018 | 9,999 | 0.4137 | 0 | 0.00 | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60010741 | NOLVADEX-D | 30/06/2018 | 9,999 | 0.4137 | 0 | 0.00 | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60010420 | NOLVADEX-D | 30/06/2018 | 9,999 | 0.4137 | 0 | 0.00 | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60011749 | NO BRAND | 01/09/2018 | 9,999 | 0.4137 | 0 | 0.00 | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60013188 | NOLVADEX-D | 02/01/2019 | 9,999 | 0.4137 | 0 | 0.00 | Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60014214 | NOLVADEX-D | 30/04/2019 | 9,999 | 0.4137 | 0 | 0.00 | Total Quantity | | | | | | | | | | | 1 | |
| Drug/Non Drug Name | Drug/Non Drug Code | Item Code | SKU | PKU | Packing Description | Batch No. | Brand Name | Batch Expiry Date | Stock Available | Average Unit Price | Issue Quantity (SKU) | PKU Issue Quantity | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | WVU005 | NOLVADEX-D | 28/07/2016 | 1,500 | 0.0000 | 1 | 0.03 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60009184 | NOLVADEX-D | 30/04/2018 | 9,999 | 0.4137 | 0 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60010741 | NOLVADEX-D | 30/06/2018 | 9,999 | 0.4137 | 0 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60010420 | NOLVADEX-D | 30/06/2018 | 9,999 | 0.4137 | 0 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60011749 | NO BRAND | 01/09/2018 | 9,999 | 0.4137 | 0 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60013188 | NOLVADEX-D | 02/01/2019 | 9,999 | 0.4137 | 0 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamoxifen Citrate 20 mg Tablet | L02BA01136T1001XX | 02381005 | tablet | pack | Pack of 30 tabs | 60014214 | NOLVADEX-D | 30/04/2019 | 9,999 | 0.4137 | 0 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total Quantity | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------|--|---|
| | | <ul style="list-style-type: none">▪ If the internal indent in RIQ (External) is fully supplied, the record for this particular indent will be removed from the RIQ screen.▪ If the internal indent in RIQ (External) is partially supplied, the record for this particular indent will still be available in the RIQ (External) screen to cater for next issue of the remaining balance or Pending Quantity for that indent. |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|--|---|
| <p>8. Inter Facility Indent</p> |  <p>Issuer can view the issued external indent in Issue screen:</p> <ul style="list-style-type: none"> Go to Inventory -> Store Inventory -> Issue -> Issue In the Issue screen, choose the “Inter Facility” radio button and click “Search”. Select by double click the issued external indent in the issue list to view the details. |  <p>Issuer can view the issued internal indent in Issue screen:</p> <ul style="list-style-type: none"> Go to Inventory -> Store Inventory -> Issue -> Issue In the Issue screen, choose the “Inter Facility” radio button and click “Search”. Select by double click the issued external indent in the issue list to view the details. |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|---------------------------------|--|--|
| <p>9. Inter Facility Indent</p> |  <ul style="list-style-type: none"> ▪ In Issue details, Issuer can view particulars of the issued item(s). ▪ Indent Status is deemed as “Closed” once the issue information is available at Requester’s facility, and Requester is able to do “Receiving”. ▪ Click “Generate Issue Note” button to generate the issue note for both Issuer and Requester. |  <ul style="list-style-type: none"> ▪ In Issue details, Issuer can view particulars of the issued item(s). ▪ Indent Status is deemed as “Closed” if the issue is “Fully Supply” or if the check box “Closed” is ticked in RIQ (External) screen. In this example, Indent Status is still Open. ▪ Below are the explanations for the numbered items: <ol style="list-style-type: none"> 1. Indent Quantity = 2. Issue Quantity = 1. 2. Item Status = Partially Supply. ▪ Click “Generate Issue Note” button to generate the issue note for both Issuer and Requester. |

| Function Flow | Indent & Issue – Inter Facility Indent (Version 1.3.8) | Indent & Issue – Inter Facility Indent (Version 1.4.1) |
|----------------------------------|---|--|
| <p>10. Inter Facility Indent</p> |  <ul style="list-style-type: none"> Once the “Generate Issue Note” button is clicked, KEWPS 10 report in PDF is displayed (as above). Issuer can print this report out to use during physical issue, or to export them in Excel by clicking the “Export to Excel” button. |  <ul style="list-style-type: none"> Once the “Generate Issue Note” button is clicked, KEWPS 10 report in PDF is displayed (as above). Issuer can print this report out to use during physical issue, or to export them in Excel by clicking the “Export to Excel” button. |