## 1. Summary of Ticket Number and Requests to Stop Medication in Manage Prescription after patient deceased

No.	Ticket #	Description	Requests	Proposed Solution
1.	I-PhIS01574 3116S	**Request to auto stop medication after patient discharge as deceased-Manage Order** User report when user discharge pt because of past away, the rx at manage order did not automatically stop. E.g: Doctor prescribed drug for 7 days. But at 3rd day the pt died and discharged by user. When check at manage order, the rx still active and will end after 7 days. User have to manually stop the rx. User inform this problems happened for ver 1.3.8.4 and ver 1.4.1.	To stop medication in Manage Order once patient has been discharge as deceased.	1. To update medication status in Manage Order after patient deceased or discharge. 2. Update the status in medication order to stop or discontinued frontend but remain the backend status as current status. Let the scheduler permanently update the drug order to stop or discontinued.

Function Flow	Current Version 1.5	New Version 1.6

Function Flow	Current Version 1.5	New Version 1.6
1. Stop medication in Manage Prescription once patient deceased.	• Open Manage Order screen and select any active patient. • *Active patient with active medication(1)* show a record in Manage Order list. • Then go to Patient Management screen and click on *Edit(2)* function. • Discharge this patient as *'Deceased'(3) and save.*	• Open Manage Prescription screen (formerly known as Manage Order) and select any active patient. • *Active patient with active medication(1)* show a record in Manage Order list. • Then go to Patient Management screen and click on *Edit(2)* function. • Discharge this patient as *'Deceased'(3) and save.*

Function Flow	Current Version 1.5	New Version 1.6
	DISCHARGE screen showing Discharge, Deceased/Death checked, End Visit, Discharge Date 17/05/2017 10:33:05 AM, Doctor DR. LOH SIEW LEONG, Discharge Type, Decease Date Time 17/05/2017 10:33:08 AM, Discharge By ZURAIDA BT. MAT ADAM, Billing Amount, Receipt Number — marked **3** • Open back Manage Order screen and find the same patient. • Record still appear in *Manage Order screen as active(4).* **MANAGE ORDER** screen with MRN HSM00000005, Order Date 17/05/2017, Order Status All, Location All, Patient Name, Order Type Normal, Drug Name, IC Number. Results table with HSM00000005 MOPD Outpatient 0148 17/05/2017 ORDERED. Drug rows: Amiloride 5mg tablet 5 mg OM (every morning) 45 Days 45 tablet 17/05/2017 01/07/2017 ORDERED; Amlodipine 10 mg Tablet 10 mg OM (every morning) 45 Days 45 tablet 17/05/2017 01/07/2017 ORDERED; Clofazimine 50mg Capsule 50 mg OD (once daily) 45 Days 45 capsule 17/05/2017 01/07/2017 ORDERED — marked **4** • In Clinical Summary screen, patient has been update as *Inactive(5).* **CLINICAL SUMMARY** screen MRN HSM00000005, Patient Name, ID Number. Result: HSM00000005 Inactive — marked **5**	**DISCHARGE** screen showing Discharge, Deceased/Death checked, End Visit, Discharge Date 15/05/2017 11:57:57 AM, Doctor DR NARAINDRAN A/L V. VEERAPPAN, Discharge Type, Decease Date Time 15/05/2017 11:58:00 AM, Discharge By Farmasi 1, Billing Amount 0.00, Receipt Number — marked **3** • Open back Manage Order screen and find the same patient. • Record not appear anymore in *Manage Prescription screen(4).* **MANAGE PRESCRIPTION** screen with MRN HMIRI00205019, Order Date 15/05/2017, Order Status All, Location All, Patient Name, Order Type Normal, Drug Name, IC Number. Results table: No Record Found — marked **4** • In Clinical Summary screen, patient has been update as *Inactive(5).* **CLINICAL SUMMARY** screen MRN HMIRI00205019, Patient Name, ID Number. Result: HMIRI00205019 Inactive — marked **5**